



Primip 26/12/2025

Adresa

Primip d.o.o.
Parobrodska 37
22000 Sremska Mitrovica
Srbija

Telefon

Telefon
022/623-386
022/626-933
022/662-249 (stovarište)

E-mail

primip@mts.rs

- **Odobravamo rabat u zavisnosti od količine kupljene robe**
- **Na sve komade cevi čije su dužine manje od 1m odobravamo dodatni rabat od 10%**

Bešavne cevi - PRECIZNE

Proizvod	Količina	JM	Opis
Cev beš.prec. 10,0 x 1,0 E235+C	62.5	kg	3mx100
Cev beš.prec. 10,0 x 1,0 E355+C	92.8	kg	3,01mx130
Cev beš.prec. 10,0 x 1,0 P265TR1	33.3	kg	6mx24+4m
Cev beš.prec. 10,0 x 1,5 11 453.1	7.6	kg	3m+4m
Cev beš.prec. 10,0 x 1,5 11353.1	42.4	kg	4mx18m+1mx3+2,08m+2,5m+2,09m-kriva
Cev beš.prec. 10,0 x 2,0 E235+C	78.7	kg	5,3mx37+2,79m+1,29m+1,26m
Cev beš.prec. 10,0 x 3,0 E235+N	186.5	kg	6,01mx50+1m
Cev beš.prec. 100,0 x 3,0 E355+C	375.0	kg	2,95mx15+0,48mx2+1,97m+0,65m
Cev beš.prec. 103,0 x 6,5 C35E+C	630.5	kg	5,62mx7+0,3m
Cev beš.prec. 12,0 x 1,0 E355+N	139.5	kg	6mx89+4m
Cev beš.prec. 12,0 x 1,65 SA-179 ASME*	306.7	kg	8,2mx74+5,18m+2,19mx2+4,18m+6,7m+5,19m+1,
Cev beš.prec. 12,0 x 2,0 E355+N	129.0	kg	6,01mx41+3m+2m
Cev beš.prec. 120,0 x 10,0 E235+C	37.0	kg	1,39m
Cev beš.prec. 120,0 x 4,0 E355+C	364.5	kg	2,99mx9+1,97m+0,97m+0,98m
Cev beš.prec. 13,0 x 2,0 Č.1212	29.0	kg	oko 3,2mx19-krive+1,4m
Cev beš.prec. 14,0 x 1,2 E235+N	20.8	kg	3,04mx25
Cev beš.prec. 14,0 x 1,8 E235+C	224.0	kg	6mx91
Cev beš.prec. 14,0 x 2,0 E235+N	478.0	kg	3,5mx227+0,5m+1,5m
Cev beš.prec. 14,0 x 2,93 E235+N	23.0	kg	3mx2+1m
Cev beš.prec. 14,0 x 3,0 E235+C	43.1	kg	6,05mx8+2m+3m
Cev beš.prec. 15,0 x 1,5 St35NBK	333.0	kg	6mx110
Cev beš.prec. 15,0 x 2,0 E235+C	136.3	kg	3,02mx70
Cev beš.prec. 15,88 x 2,11 Grade A-1 ASTM A	234.4	kg	L=6,65mx64
Cev beš.prec. 15,88 x 2,41 ASME SA-179	201.4	kg	L=7,1mx34kom+5,09m
Cev beš.prec. 16,0 x 1,5 Č.1212	89.0	kg	1,5m-5,5mxn-zid 1,75
Cev beš.prec. 16,0 x 1,5 St35NBK	140.4	kg	6m* x 44+5m*+3m
Cev beš.prec. 16,0 x 1,8 P265GH+N	1.3	kg	0,985+0,99m
Cev beš.prec. 16,0 x 2,0 E235+N	62.2	kg	6mx14+1,185m
Cev beš.prec. 16,0 x 2,0 P235GH+N	31.0	kg	4,95mx10
Cev beš.prec. 16,0 x 2,0 St52.4	2.0	kg	1,04mx2+0,5-zid 2,2mm
Cev beš.prec. 16,0 x 3,0 E235+N	64.0	kg	4,1mx17+1,07m
cev beš.prec. 17,0 x 2,3 P235TR2	100.0	kg	6mx21
Cev beš.prec. 17,0 x 4,0 E235+C	112.0	kg	3,01mx29+1,5m
Cev beš.prec. 18,0 x 1,0 St35NBK	158.8	kg	6,5m x58+3,5mx3+2,79m+6m
Cev beš.prec. 18,0 x 1,2 St35NBK	14.5	kg	2,96m+2,8m+3m+4,65m+5,99m+5,98m-kriva

Proizvod	Količina	JM	Opis
Cev beš.prec. 18,0 x 1,5 P235GH-TC1	130.1	kg	5x11 kom+5mx20kom+6,5mx5+1,1mx2+1,42m+1m
Cev beš.prec. 18,0 x 1,62 15 130 TDP	50.0	kg	6mx13
Cev beš.prec. 18,0 x 2,0 E355+C	198.4	kg	6,05mx40+3m+2m+4,5m+3,5m
Cev beš.prec. 18,0 x 3,0 E235+C	73.5	kg	6,1mx10+3m
Cev beš.prec. 18,0 x 4,0 E235+N	156.5	kg	6mx19
Cev beš.prec. 18,0 x 4,0 P235TR2+N	100.6	kg	3,01mx18+2m
Cev beš.prec. 20,0 x 1,5 25CrMo4+N	45.5	kg	6mx13
Cev beš.prec. 20,0 x 2,0 15 130 CSN	43.1	kg	6mx4+1,88m+2,3m
Cev beš.prec. 20,0 x 2,0 16Mo3+N	411.2	kg	6,01mx77
Cev beš.prec. 20,0 x 2,0 25CrMo4	78.5	kg	6,18mx13
Cev beš.prec. 20,0 x 2,0 P355NH	56.3	kg	4,02mx14+3m+0,8m
Cev beš.prec. 20,0 x 2,0 SA-179	1.0	kg	1,06m
Cev beš.prec. 20,0 x 2,2 E235+C	502.5	kg	6,17mx83
Cev beš.prec. 20,0 x 4,0 E235+C	550.8	kg	6mx57+3m+1,48m
Cev beš.prec. 20,3 x 1,9 E235	4.0	kg	3m+1,63m
Cev beš.prec. 20,5 x 5,25 E235+C	74.4	kg	0,98m+3mx8
Cev beš.prec. 21,3 x 2,3 St52.0	56.5	kg	5,36mx4+2,86m+2,07m+1,5m
Cev beš.prec. 21,3 x 3,2 P235GH+N	292.0	kg	6,14mx33+3m
Cev beš.prec. 210,0 x 15,0 E355 SR	579.0	kg	2,03m+5,93m
Cev beš.prec. 22,0 x 1,0 St35NBK	1,204.5	kg	6,5m-7m x 335*+4mx2+1m
Cev beš.prec. 22,0 x 2,0 Č.3100	464.0	kg	6 mx6+3m+6mx3-krive+6mx61+4mx4+2,37m+2,97
Cev beš.prec. 22,0 x 3,0 E235+C	200.0	kg	6mx26+2m+0,87m
Cev beš.prec. 22,0 x 4,0 St35BK	817.6	kg	6,5 x78+5mkom+0,48m+0,62+3,25mx2+1,24m+5m
Cev beš.prec. 22,4 x 6,2 E355+SR	235.0	kg	6,95mx12+4,94m+0,74m+0,34m+5,57m
Cev beš.prec. 24,0 x 3,7 Č.3100	55.0	kg	6mx3+4,5m+5m+2,2m***
Cev beš.prec. 24,0 x 5,75 St52-3 BK	95.5	kg	3,5mx10+1,5m+1,48m
Cev beš.prec. 25,0 x 2,0 St35 NBK	548.3	kg	6,3m-kriva+0,37mx1+6,09x79
Cev beš.prec. 25,0 x 2,5 E235 + N	490.0	kg	6,5mx29**5m+0,5mx6*+6,5mx25*
Cev beš.prec. 25,0 x 4,0 E355+C	633.0	kg	6,1mx50
Cev beš.prec. 25,4 x 2,11 GRADE 6 ASTM A	82.5	kg	0,79m x67 + 0,53m x 26*
Cev beš.prec. 25,4 x 2,11 GRADE C ASTM A	178.0	kg	1,18mx23+2,63mx21+0,58mx109+0,49mx8*
Cev beš.prec. 25,4 x 3,05 17Cr3	500.0	kg	6mx48
Cev beš.prec. 25,4 x 3,05 E235+N	74.2	kg	L=6mx4+3m
Cev beš.prec. 26,0 x 3,0 ZP 160-EK2+N	134.0	kg	4,08mx17+1,05m+1,7mx2
Cev beš.prec. 26,0 x 5,0 E235+C	201.8	kg	6,09mx13+1,56m
Cev beš.prec. 28,0 x 1,0 E235+N	367.0	kg	6mx85+4,5m+1,38m+1,41m+2,23m+1,6m+3m
Cev beš.prec. 28,0 x 1,0 St35NBK	28.0	kg	3,5m+0,96m+5,3mx7
Cev beš.prec. 28,0 x 2,0 E235+C	67.8	kg	5m+5,9m+2,8mx2+4m+1mx2+1,2m+0,8m+0,7m+6
Cev beš.prec. 28,0 x 6,0 E235+C	347.0	kg	0,78m+4,7m+6,25mx16
Cev beš.prec. 30,0 x 1,5 25CrMo4+N	178.2	kg	6mx24+3m+2,07m
cev beš.prec. 30,0 x 2,5 P235GH+N	904.7	kg	6,07mx80+3m+2,34m+1,24m
Cev beš.prec. 30,0 x 6,45 St 35 BK	299.0	kg	4,61mx17+2,79m
Cev beš.prec. 32,0 x 1,0 E235+N	10.5	kg	6mx2+1m
Cev beš.prec. 32,0 x 2,0 St35BK	669.5	kg	6,49mx48+6mx8+2,9mx14+1,4m+2,4m+0,3m+0,9+
Cev beš.prec. 32,0 x 3,5 C10	109.0	kg	3,07mx7+0,31m+0,66mx2+0,55mx3+2,04m+0,71m
Cev beš.prec. 32,0 x 4,0 20 GOST 1050	471.5	kg	(6-7,5m) x 12+4,5m+1,99m+2,92m+5mx3+6-6,9mx
Cev beš.prec. 32,0 x 4,5 St52NBK	22.0	kg	6,07m+1,65m
Cev beš.prec. 32,0 x 6,3 12022.1	420.3	kg	6,09mx17
Cev beš.prec. 32,0 x 8,0 E355+C	75.5	kg	6,1mx2+3m

Proizvod	Količina	JM	Opis
Cev beš.prec. 34,0 x 5,0 C55E+N	226.5	kg	3,07mx18+1,07m+1,06m
Cev beš.prec. 35,0 x 2,0 25CrMo4+N	60.0	kg	6mx7
Cev beš.prec. 35,0 x 2,0 E235+N	1,114.4	kg	6,97x92+2,91mx2+0,9m+2,14m+1,74m+0,7m+1m+
Cev beš.prec. 35,0 x 7,5 E235+N	135.6	kg	3,07mx7+1,565m
Cev beš.prec. 36,0 x 4,0 16MnCr5	105.0	kg	3mx11+1,14m
Cev beš.prec. 36,0 x 6,0 E255+N	6.5	kg	1,46m
Cev beš.prec. 37,0 x 4,75 E355**	497.0	kg	6mx13+3,65mx13+0,59m-spoljni precnik 38
Cev beš.prec. 37,0 x 5,0 E355	100.5	kg	3,08mx3+0,5m+1,26m+1,8m
Cev beš.prec. 38,0 x 5,0 E355+C	381.1	kg	3,08mx27+1,54m
Cev beš.prec. 38,0 x 5,0 P355NL1	3.5	kg	0,85m-kriva
cev beš.prec. 38,0 x 6,0 E255+N	220.5	kg	6,05mx4+3,81m+1,73m+0,4m+4,95m+3,56m
Cev beš.prec. 40,0 x 1,0 235+N	169.5	kg	6,4mx27
Cev beš.prec. 40,0 x 2,0 25CrMo4+N	90.0	kg	0,35m
Cev beš.prec. 40,0 x 6,4 E235+C	2.5	kg	1,04m
Cev beš.prec. 40,0 x 8,0 8Mn45	418.5	kg	4,47mx11+1m
Cev beš.prec. 40,5 x 6,25 E355+N	30.7	kg	
Cev beš.prec. 41,0 x 6,0 C55E+N	165.5	kg	6mx4+5,04mm+0,6m
Cev beš.prec. 42,0 x 1,0 E235+N	343.0	kg	3,08mx110
Cev beš.prec. 42,0 x 4,0 E255+N	75.4	kg	6mx3+2m+0,23m
Cev beš.prec. 42,0 x 6,0 20 GOST	76.0	kg	4,02mx2+1,59m
Cev beš.prec. 42,0 x 6,3 12022	66.0	kg	3,08mx3+1,77m+0,77m+1,86m
Cev beš.prec. 42,4 x 2,5St35NBK	1,392.5	kg	6m xn+1,4m+1,17m*
Cev beš.prec. 44,5 x 4,0 E355+N	100.5	kg	6mx4+1,59m
Cev beš.prec. 44,7 x 7,25 16MnCr5	316.0	kg	3,86mx10+2,85m+0,82m
Cev beš.prec. 46,0 x 2,5 CK 35	61.0	kg	3,09mx7+0,44m+2,37m
Cev beš.prec. 46,0 x 5,15 C55E+N	512.0	kg	6,535mx15
Cev beš.prec. 46,0 x 5,75 C55E+C	304.0	kg	3,07mx15+1,05m+1,33m
Cev beš.prec. 47,0 x 6,5 16MnCr5+C	223.0	kg	L=3,05mx9+2.9m
Cev beš.prec. 48,0 x 2,5 25CrMo4	153.0	kg	3,42mx12kom+1,41mx2+1,3m+2m+0,9m+1,9m
Cev beš.prec. 48,0 x 3,0 E235+C	271.5	kg	3,08mx26+0,18m+0, 5m+1,07m
Cev beš.prec. 48,0 x 6,0 12022.1	161.5	kg	6mx4+1,5m
Cev beš.prec. 48,3 x 5,9 S275JR	465.0	kg	5,42mx13+3,51m+0,29m
Cev beš.prec. 50,0 x 1,5 E355+C	196.2	kg	8,05mx13+4,1m+3m
Cev beš.prec. 50,0 x 2,0 25CrMo4	341.5	kg	6,198mx21+3,17m+0,9m
Cev beš.prec. 50,0 x 6,0 E355+C	953.0	kg	6,07mx23+3,81m+1,4m
Cev beš.prec. 50,0 x 7,5 E355+C	578.0	kg	6,41mx11+1,92m
Cev beš.prec. 50,0 x 8,0 P460NH	2.0	kg	0,33m
Cev beš.prec. 52,0 x 6,0 C35E+C	270.9	kg	3,06mx12+0,61m+0,76m+1,5m
Cev beš.prec. 52,0 x 7,0 St52NBK	382.0	kg	6,08mx8+0,8m
Cev beš.prec. 52,0 x 8,0 E355+C	1,059.0	kg	6,08mx20
Cev beš.prec. 53,0 x 3,0 E355+C	144.5	kg	6mx6+0,62m+1,41m+1,43m
Cev beš.prec. 55,0 x 10,0 C60E+N	22.4	kg	2,04m
Cev beš.prec. 55,0 x 7,35 E355+C	219.5	kg	3,09mx6+1,57m
Cev beš.prec. 57,0 x 5,0 E235+C	231.2	kg	4,04mx4+1,12m
Cev beš.prec. 58,0 x 5,0 E355+C	359.0	kg	6,24mx8+2,93m
Cev beš.prec. 58,0 x 5,0 E355+N	235.0	kg	6,4mx4+2,52m+0,77mx2+0,79m
Cev beš.prec. 6,0 x 0,7 E235+N	36.0	kg	3,09mx130
Cev beš.prec. 6,0 x 2,25 St30SiNBK	111.1	kg	L=6,07mx89+4m+3,06m
Cev beš.prec. 60,0 x 3,0 E355+C	207.5	kg	3mx16+0,98m

Proizvod	Količina	JM	Opis
Cev beš.prec. 60,0 x 6,5 St52-3	247.0	kg	3,24mx9+1,21m
Cev beš.prec. 60,0 x 6,5 St52-3 GKB	92.0	kg	0,72m+079m+0,73m+0,68m+0,41m+0,36m
Cev beš.prec. 62,0 x 7,0 E355+C	1,098.0	kg	6,05mx18+5m
Cev beš.prec. 62,0 x 8,0 C55NBK	130.5	kg	3,83m+0,33m
Cev beš.prec. 65,0 x 1,5 St35	238.0	kg	6,5mx15+1,98m
Cev beš.prec. 66,0 x 10,0 16MnCr5	352.0	kg	3,09mx8+1,57m+0,83mx2+0,43m
Cev beš.prec. 7,94 x 0,91 ASTM A 179	16.1	kg	oko 6m x n
Cev beš.prec. 70,0 x 5,0 E355+C	5.5	kg	
Cev beš.prec. 71,0 x 6,0 C60NBK	575.5	kg	6,06mx9+0,93m+1,22m
Cev beš.prec. 73,0 x 5,0 E235+C	192.0	kg	5,95mx3+4,94m
Cev beš.prec. 74,5 x 8,25 25MnCr6	310.0	kg	6mx3+3,57m+0,42m
Cev beš.prec. 75,0 x 10,75 16MnCr5	591.0	kg	5,75mx5
Cev beš.prec. 76,0 x 11,25 C45E	154.0	kg	3,09m+2,14m+1,08m+0,57m
Cev beš.prec. 76,0 x 7,0 P235TR2+N	392.0	kg	3,25mx10+1,8m
Cev beš.prec. 76,1 x 3,6 W.Nr.1.4541	104.5	kg	6x2kom+4,5m-prohrom
Cev beš.prec. 76,1 x 5,0 16Mo3-TC2+N	8.0	kg	1,71mx2
Cev beš.prec. 8,0 x 1,5 12 022.1	67.8	kg	3,15mx76+2,5m
Cev beš.prec. 8,0 x 1,75 E235+C	14.1	kg	6,2m-6,5mx6+3m-kriva+1m+3,79m
Cev beš.prec. 80,0 x 10,0 E255+N	8.0	kg	0,4m
Cev beš.prec. 80,0 x 5,0 E355+C	1,034.5	kg	6mx17+2,08m+0,85m
Cev beš.prec. 83,0 x 8,5 E355+C	1,152.0	kg	6mx11+4,76m
Cev beš.prec. 85,0 x 8,75 20MnCr5+N	289.5	kg	4,26m+5,57m+6,08m
Cev beš.prec. 86,0 x 6,0 C45E	168.0	kg	5,7mx2+1,56m
Cev beš.prec. 9,5 x 1,25 Č.1212	534.4	kg	(4-5m) x n
Cev beš.prec. 92,0 x 5,0 E355+SR	514.0	kg	6,09mx7+4,83m
Cev beš.prec. 95,0 x 7,5 E355+C	5.9	kg	0,36m

Bešavne cevi - KOTLOVSKE

Proizvod	Količina	JM	Opis
Cev beš.kot. 101,6 x 11,0 P235GH	16.0	kg	1,02m
Cev beš.kot. 101,6 x 12,5 13CrMo4-5	228.5	kg	6,01mx2+2,32m
Cev beš.kot. 101,6 x 6,3 16Mo3	428.5	kg	6,9mx4+1,21m+0,48m+0,75m
Cev beš.kot. 101,6 x 7,1,0 13CrMo4-5	217.0	kg	8,02m+3,53m+0,79m
Cev beš.kot. 108,0 x 4,5 P235GH+N	906.0	kg	6mx10+2,53m+1,86m+0,95m+1,04m
Cev beš.kot. 108,0 x 8,0 10CrMo9	514.0	kg	L=6,06mx3+1,52m+5,51m+1,02m
Cev beš.kot. 114,3 x 12,5 P235GH TC1	98.0	kg	2,67m
Cev beš.kot. 114,3 x 5,6 P235 GH	21.5	kg	1,42m
Cev beš.kot. 114,3 x 6,3 16Mo3	241.0	kg	4.38m+5,47+4,48m
Cev beš.kot. 114,3 x 6,3 P235GH	247.5	kg	6,07mx2+1,65m+0,55m+0,77m+1,91m
Cev beš.kot. 127 x 8,0 P235GH	182.5	kg	1,77m+5,81m
Cev beš.kot. 133,0 x 13,0 12ChMF	11.5	kg	0,31m+1,75m
Cev beš.kot. 133,0 x 4,0 P235GH TC1	1,014.0	kg	6,05mx11+3,04m+3m+1,515m
Cev beš.kot. 133,0 x 4,5 34CrMo4	591.5	kg	4,460m-4,48mx8+2,94m +2,04m
Cev beš.kot. 139,7 x 12,5 16Mo3	174.0	kg	0,81m+3,47m
Cev beš.kot. 159,0 x 5,0 P265GH TC1	9.5	kg	1,4m
Cev beš.kot. 16,0 x 2,3 13CrMo4-5	459.5	kg	7,6mx76+5,58m-kriva
Cev beš.kot. 168,3 x 4,5 P235GH TC1	225.5	kg	6m+4,28m++0,88m
Cev beš.kot. 168,3 x 7,1 16Mo3	790.0	kg	9,04mx2+4,3m+2,67m+1,28m
Cev beš.kot. 17,1 x 3,2 GRADE B ASTM A	362.0	kg	6,4mx49+2,38m
Cev beš.kot. 18,0 x 2,0 St35.8/I NBK	69.0	kg	3,47mx18+0,5m+2,47m+1,415m+1,99m+2,24m
Cev beš.kot. 21,3 x 2,77 Grade B ASME	10.0	kg	5,1m+2,19m+0,84m+2,06m+2m+2,86m+1,5m
Cev beš.kot. 21,3 x 3,2 P265GH+N	198.8	kg	6,08mx34+3m
Cev beš.kot. 21,3 x 3,6 16Mo3	245.5	kg	6,18mx12+0,59m
Cev beš.kot. 21,3 x 3,6 P235GH/TC1	64.4	kg	6mx15+2,58m+5m
Cev beš.kot. 21,3 x 4,0 P235GH+N	664.1	kg	6,09mx58+3m+0,66m
Cev beš.kot. 219,1 x 6,3 P265GH	16.0	kg	0,46m
Cev beš.kot. 25,0 x 2,3 P235GH	8.5	kg	2,66m+2m
Cev beš.kot. 25,4 x 2,11 P235GH+N	18.0	kg	6m+3m+1,17m+0,49mx10+0,59m
Cev beš.kot. 26,7 x 7,82 Gr.B	258.5	kg	7,45mx4+6,97mx2+1,58m+0,63m+3,94m
Cev beš.kot. 267,0 x 12,5 P265GH TC1	299.0	kg	3,38m
Cev beš.kot. 273,0 x 28,0 16Mo3 TC2	3,698.0	kg	L=6,63mx3+1,285m
Cev beš.kot. 28,0 x 4,0 P265GH	57.5	kg	6mx3+0,97m
Cev beš.kot. 30,0 x 3,5 Č.4578	11.0	kg	2,44m+0,99m+1m
Cev beš.kot. 31,8 x 3,6 14MoV6	93.5	kg	2,82m+0,81m+1,82mx5+3,77m+2,05m
Cev beš.kot. 31,8 x 3,6 GRADE T12(13CrMo4-5	140.5	kg	6,1mx7+2,82m+5,5m+0,5m
Cev beš.kot. 31,8 x 4,5 16Mo3	1,546.5	kg	6mx89+0,78m
Cev beš.kot. 31,8 x 5,0 10CrMo9-10	403.0	kg	6x20kom+2,36m
Cev beš.kot. 31,8 x 7,1 10CrMo9-10	53.0	kg	1,33mx4+0,32m
Cev beš.kot. 32,0 x 6,0 12Ch1MF	415.0	kg	6mx12+0,76m+3,85mx9
Cev beš.kot. 33,4 x 3,38 ZP16Mn52NS	141.0	kg	6,02x4kom+3,2m+2,45m+2m+1,35m+6,85m
Cev beš.kot. 33,7 x 2,3 P235GH	10.0	kg	3,36m+1,52m+1,51m+1,42m
Cev beš.kot. 33,7 x 4,0 10CrMo9-10	25.0	kg	3,55mx2+1m
Cev beš.kot. 34,0 x 3,5 Č.4578	127.5	kg	6,96mx4+6,74mx2+1,56m+6,3m
Cev beš.kot. 35,0 x 5,0 13CrMo4-5	718.3	kg	7,11mx26+0,42m
Cev beš.kot. 35,0 x 7,1 14MoV6	928.0	kg	7,3mx24+5.29m
Cev beš.kot. 355,6 x 11,16 Gr.B ASTM A 106	371.0	kg	L=3,87m

Proizvod	Količina	JM	Opis
Cev beš.kot. 355,6 x 8,8 P235GHTC1	2,511.0	kg	(6,01-6,08)x3+5,88m+4,07m+1,95m+1,78m+1,075
Cev beš.kot. 38,0 x 3,2 10CrMo9-10	924.4	kg	6,05mx36+1m+4,02m+6,05m-6,18mx17+1,17m
Cev beš.kot. 38,0 x 3,6 P265GH	1,126.5	kg	6,09mx60+1,5m+1m
Cev beš.kot. 38,0 x 4,0 10CrMo9-10	296.5	kg	5,59mx4+6,05m+4,95m+5,14m+5,35m+5,2m+4,85
Cev beš.kot. 38,0 x 4,0 16Mo3	672.0	kg	6mx15+5,1m+2,17m+6,97m+6,77m+7,02m+7,29m
Cev beš.kot. 38,0 x 4,0 P235GH+N	1,278.5	kg	6,04mx21+0,83m+1,81m+6,05mx16+0,98m+1,6m+
Cev beš.kot. 38,0 x 4,0 P265GH	750.0	kg	6mx22+4,09mx22
Cev beš.kot. 38,0 x 4,5 10CrMo9-10	22.5	kg	6mx2
Cev beš.kot. 38,0 x 5,0 10CrMo9-10	523.0	kg	6,18mx17+4,4m+0,89mx3+1,59m
Cev beš.kot. 38,0 x 5,0 16Mo3	5.0	kg	0,48m+0,75m
Cev beš.kot. 38,0 x 5,6 10CrMo9-10	8.5	kg	1,82m
Cev beš.kot. 38,0 x 6,3 13CrMo4-5	66.5	kg	5,15m+2,18m+1,22m
Cev beš.kot. 42,4 x 10,0 10CrMo9-10	670.0	kg	6mx8+4,58mx7+2,86m
Cev beš.kot. 42,4 x 2,6 ZP16Mo3	137.5	kg	6,12x6+0,61m+1,59m
Cev beš.kot. 42,4 x 3,6 P235GH+N	785.0	kg	6,06mx34+0,81m+1,1m+0,93m+3m+0,59m+1,19m
Cev beš.kot. 42,4 x 4,0 P235GH+N	983.9	kg	6,06mx34+4,46m+1,9m+1,52m+0,52m
Cev beš.kot. 44,5 x 4,5 10CrMo9-10	274.5	kg	6,08mx6kom+2,65m+1,36m+6,22mx2+5,61m
Cev beš.kot. 44,5 x 5,6 16Mo3	231.5	kg	7kom x (5,7-5,9) +2,44m+2,04m
Cev beš.kot. 44,5 x 7,1 13CrMo4-5	37.5	kg	6,12m
Cev beš.kot. 48,26 x 10,16 10CrMo9	1,472.0	kg	6,52mx23+3,07m
Cev beš.kot. 48,3 x 2,6 P235GHTC1	31.0	kg	6mx3+1,38m+0,84m+0,87m
Cev beš.kot. 48,3 x 3,2 P235GHTC1	616.5	kg	5,92mx21+2,59m+1,4m+1,91m+5,29m+3,49m+2m
Cev beš.kot. 48,3 x 3,6 ZP10CrMo5-5	1,211.0	kg	6mx18kom +5,5mx10+4mx5+0,93m+0,72m+1,17m
Cev beš.kot. 48,3 x 4,3 Grade T22 ASTM A	35.0	kg	0,35m+1.3m
Cev beš.kot. 48,3 x 5,08 P265GH+N	7.3	kg	3,50m
Cev beš.kot. 51,0 x 3,5 10CrMo5-5	22.5	kg	
Cev beš.kot. 51,0 x 5,0 13CrMo4	21.0	kg	1,31m+1,4m+1,42m
Cev beš.kot. 51,0 x 5,0 16Mo3	344.0	kg	7,3mx3+0,47m+3,28m+1,42
Cev beš.kot. 54,0 x 4,0 TU15CD2-05 (15Mo3)	241.0	kg	6,78x7+0,76m
Cev beš.kot. 54,0 x 5,0 10CrMo9-10	329.5	kg	7,14mx6+1,7m+3,1m
Cev beš.kot. 57,0 x 4,5 P235GH +N	306.0	kg	6,03mx8+4m
Cev beš.kot. 57,0 x 5,0 10CrMo9-10	925.0	kg	6,73m x 21kom +5,71m+3,06m
Cev beš.kot. 57,0 x 5,0 13CrMo4-5	726.0	kg	L=6,12mx19+2,19m
Cev beš.kot. 57,0 x 5,0 15Mo3N	18.0	kg	2,81m
Cev beš.kot. 57,0 x 5,0 P265GH	612.5	kg	5,13mx15+3,6m
Cev beš.kot. 60,3 x 4,0 10CrMo9-10	339.0	kg	L=5,06mx11kom+1,23
Cev beš.kot. 60,3 x 4,0 P235GH+N	514.0	kg	6,03mx13+3m+1,25m+0,58m+0,99m+0,61m+1,3m
Cev beš.kot. 60,3 x 4,0 P265GH+N	28.0	kg	0,64m+0,69m+2,14m+0,61m
Cev beš.kot. 60,3 x 4,5 P235GH+N	21.0	kg	2,53m
Cev beš.kot. 60,3 x 4,5 St35.8	28.0	kg	1,02m+1,4m+2,04m+1,21
Cev beš.kot. 60,3 x 5,0 18Mo5	781.5	kg	6mx19+5,3m+1,66m+1,45m+3,12m+3,02m
Cev beš.kot. 60,3 x 5,0 P265GH	598.0	kg	6mx9+3,12mx2+0,47m+2,58mx2
Cev beš.kot. 60,3 x 5,54 P265GH+N	22.0	kg	2,55m
Cev beš.kot. 60,3 x 5,6 16Mo3	1,077.0	kg	6mx6+5,42m+4,39mx2+4,98m+2,48m+5,4m+5,28
Cev beš.kot. 60,3 x 5,6 P265GH+N	61.5	kg	0,39+2,07m
Cev beš.kot. 60,3 x 6,3 13CrMo4-5	60.5	kg	3m+2mx2
Cev beš.kot. 60,3 x 6,3 ZP14MoV6	24.5	kg	3m
Cev beš.kot. 60,3 x 8,8 10CrMo9-10	789.0	kg	8,52m+8,53m+8,63m+8,37m+8,45m+8,42m+8,53m
Cev beš.kot. 63,5 x 3,2 P265GH+N	4.0	kg	0,1m+0,13m+0,15m+0,18m

Proizvod	Količina	JM	Opis
Cev beš.kot. 70,0 x 5,0 16Mo3	130.4	kg	6,45m+3,4m
Cev beš.kot. 70,0 x 8,0 13CrMo4-5	137.5	kg	5,07m+3,75m+0,83m
Cev beš.kot. 73,0 x 14,02 GRADE 6 ASTM A	1,204.5	kg	6,4mx3+6mx3+6,77m+6,76mx2+1,03m
Cev beš.kot. 73,0 x 5,16 P265GH	1,093.3	kg	5,4mx21+4,05m
Cev beš.kot. 73,0 x 5,16 ZP18Mo5	463.0	kg	6,12mx5+5,86m+5,11m+0,63m
Cev beš.kot. 73,0 x 9,53 P235GH	597.0	kg	6m+6,72mx4+6,85m
Cev beš.kot. 76,1 x 10,0 P235GH	477.0	kg	6m+1,85m+6,03mx2,3m
Cev beš.kot. 76,1 x 2,9 P235GH-TC1	86.0	kg	6mx2+4,54m
Cev beš.kot. 76,1 x 3,2 P265GH-TC2	24.5	kg	3,26m
Cev beš.kot. 76,1 x 3,6 P265GH+N	339.0	kg	5,95x8+2,51m+1,26mx2+1,61m
Cev beš.kot. 76,1 x 4,0 P235GH	245.0	kg	6mx3+2,5m+6mx2
Cev beš.kot. 76,1 x 4,0 P265GH	95.0	kg	2,16x7kom
Cev beš.kot. 76,1 x 4,0 P265GH-TC2	417.5	kg	6mx7+0,99m+5,6m+0,35m
Cev beš.kot. 76,1 x 4,5 15Mo3	454.5	kg	6,05mx9+1,95m+1,02m+0,44m
Cev beš.kot. 76,1 x 4,5 P265GH	447.0	kg	3,47m+2,41m+0,5m+4,33mx8+1,71mx5+1,4m+1,7
Cev beš.kot. 76,1 x 5,0 GRADE T1 ASTM A	24.0	kg	0,83m+0,32+0,85m+0,58m+0,75m
Cev beš.kot. 76,1 x 6,3 16Mo3	235.0	kg	L=6mx8+0,41m+0,35m
Cev beš.kot. 76,1 x 6,3 P235GH-TC1	1,572.5	kg	5,77m+6,06m-6,09mx23
Cev beš.kot. 76,1 x 7,1 16Mo3	41.0	kg	2,6m
Cev beš.kot. 76,1 x 8,0 16Mo3	848.0	kg	8,13mx7+5,67m
Cev beš.kot. 82,5 x 10,0 P265GH	330.5	kg	6,05mx2+5,5m
Cev beš.kot. 82,5 x 3,6 P235GH-TC1	80.0	kg	6m+3,0m+1,61m
Cev beš.kot. 82,5 x 4,0 P265GH-TC2	99.0	kg	6m+0,56m
Cev beš.kot. 82,5 x 4,5 St35.8	41.0	kg	4,57m
Cev beš.kot. 82,5 x 5,6 P265GH	582.0	kg	5,55m+5,87m+5,96m+5,67m+6m+5,97m+6,01m+5
Cev beš.kot. 88,9 x 11,0 16Mo3	105.5	kg	7m
Cev beš.kot. 88,9 x 12,5 13CrMo4	434.5	kg	6m+3,36m+2,18m+1,34m
Cev beš.kot. 88,9 x 15,24 P265GH	529.0	kg	4,74mx2+3,73m+0,82m
Cev beš.kot. 88,9 x 3,2 P235GH-TC1	129.5	kg	4,56mx5+0,71m
Cev beš.kot. 88,9 x 3,6 P265GH-TC2	199.5	kg	2,85mx2+2,24m
Cev beš.kot. 88,9 x 3,6 St35.8/I	118.5	kg	5,03m+0,9m+3,22m+0,55m+6m
Cev beš.kot. 88,9 x 4,0 P235GH	55.5	kg	6m +0,66m+0,47m
Cev beš.kot. 88,9 x 5,49 P265GH	20.0	kg	1,83m
Cev beš.kot. 88,9 x 5,6 16Mo3*	313.5	kg	6,5m+6,26m+5,99m+1,18m+0,9m+0,46m+5,12m+
Cev beš.kot. 88,9 x 5,6 P235GH/St35.8	48.0	kg	4,05m
Cev beš.kot. 88,9 x 5,6 P265GH+N	31.5	kg	1,38mx2
Cev beš.kot. 88,9 x 6,3 16Mo3	41.0	kg	3,17m

Bešavne cevi - KONSTRUKCIONE

Proizvod	Količina	JM	Opis
Cev beš.kons. 100,0 x 10,0 S355J2H	350.5	kg	4,97mx2+0,55m+0,51m+0,16m+1,33m
Cev beš.kons. 101,6 x 10,0 S355J2H	12.0	kg	0,46m
Cev beš.kons. 101,6 x 11,0 16MnCr5(Č.4320)	19.0	kg	0,19mx3
Cev beš.kons. 101,6 x 12,5 E355	232.5	kg	7,02m+0,94m+0,37m
Cev beš.kons. 101,6 x 14,2 E355	2,111.0	kg	9,21m+9,63m+9,7m+9,66m+9,72mx2+1,08m+5,07
Cev beš.kons. 108,0 x 12,5 E235	149.5	kg	3,61m
Cev beš.kons. 108,0 x 12,5 E355+N	196.0	kg	2,98m
Cev beš.kons. 108,0 x 4,0 P235TR2	1,095.0	kg	6mx16+5,7m+0,83mm+0,2m
Cev beš.kons. 108,0 x 6,3 E275	498.8	kg	5,9m+1,22m+2,89m+6mx2+5,76m+3,29m
Cev beš.kons. 108,0 x 8,0 E275	637.3	kg	6,03mx+1,7m+6,08mx4
Cev beš.kons. 114,3 x 10,0 42CrMo4	1,616.5	kg	6,38m+4,35m+2,52m+6,43m+6,33m+6,6m+6,38m
Cev beš.kons. 114,3 x 10,0 E275	10.0	kg	
Cev beš.kons. 114,3 x 20,0 S355J2H	276.0	kg	5,74m
Cev beš.kons. 114,3 x 3,6 P235TR1	976.0	kg	6mx15+4,5m+2,04m+2m
Cev beš.kons. 114,3 x 4,0 P235TR1	815.0	kg	6mx3+4,91m+0,62m+6mx8
Cev beš.kons. 114,3 x 5,0 P235TR1	1,282.0	kg	6mx8+6mx7+4m+0,78m
Cev beš.kons. 114,3 x 5,6 P235TR1	284.0	kg	6mx3+2,42m
Cev beš.kons. 114,3 x 6,02 ASTM A 106*	151.0	kg	0,79m+2,55m+2,81m+6,17m+1,54m
Cev beš.kons. 114,3 x 6,02 ZP16Mn52NS	190.0	kg	4,45m+5,14m+5,5m
Cev beš.kons. 114,3 x 6,3 P235TR2	179.5	kg	6,25mx2+1,38m
Cev beš.kons. 114,3 x 6,35 E355	140.0	kg	6,07m+1,91m+0,77m
Cev beš.kons. 114,3 x 7,1 E355	11.0	kg	0,58m
Cev beš.kons. 114,3 x 8,0 E235	988.5	kg	6m+5,3m+6m+0,94m+9,58m+11,75m+1,26m+3mx
Cev beš.kons. 114,3 x 8,0 E275	31.0	kg	1,49m
Cev beš.kons. 114,3 x 8,0 E355	27.0	kg	1,49m
Cev beš.kons. 114,3 x 8,56 ASTM A 106*	240.0	kg	5,31m***+5,34m***+2,29m
Cev beš.kons. 114,3 x 8,8 E355	232.0	kg	0,62m+0,21m+1,26m+2,97m+4,13m
Cev beš.kons. 121,0 x 10,0 E235	171.0	kg	5,34m
Cev beš.kons. 121,0 x 10,0 P235TR2	10.0	kg	0,37
Cev beš.kons. 121,0 x 10,0 S355J2H	1,323.0	kg	9,66mx5
Cev beš.kons. 121,0 x 12,5 E355	540.5	kg	6m+5,94m+5,96m
Cev beš.kons. 121,0 x 12,5 S355J2H	379.5	kg	5,55m
Cev beš.kons. 121,0 x 20,0 S355J2H	2,021.0	kg	6,18m+6,07m+6,1m+3,68m+6,12m+6,24m+6,14m
Cev beš.kons. 121,0 x 5,0 ZP18Mn122NS	3.5	kg	
Cev beš.kons. 127,0 x 10,0 P265TR1	335.0	kg	5,97m+4,31m
Cev beš.kons. 127,0 x 10,0 S355J2H	29.0	kg	1,03m
Cev beš.kons. 127,0 x 25,0 S355J2H	726.5	kg	5,61m+4,94m+1,24m
Cev beš.kons. 127,0 x 6,3 E355	14.5	kg	0,77m***
Cev beš.kons. 133,0 x 10,0 E235	1,601.0	kg	11,18m+11,25m+9,77m+11,45m+11,42m
Cev beš.kons. 133,0 x 11,0 E355	66.0	kg	
Cev beš.kons. 133,0 x 30,0 S355J2H	1,548.0	kg	4,47mx2+4,43m+4,21m+3,37m
Cev beš.kons. 133,0 x 6,3 E355	560.0	kg	6m+11,06m+11,07m
Cev beš.kons. 133,0 x 8,0 E275	29.5	kg	
Cev beš.kons. 133,0 x 8,8 E355	50.5	kg	3,01m+0,97m
Cev beš.kons. 139,7 x 10,0 E235	122.5	kg	0,84m+0,69m+0,7m
Cev beš.kons. 139,7 x 10,0 P235TR2	284.0	kg	0,37mm+0,16m+2,03m+6m+3,44m+0,39m
Cev beš.kons. 139,7 x 25,0 S355J2H	1,661.5	kg	4,8m+4,79m+4,78m+4,6m+4,85m+0,405m

Proizvod	Količina	JM	Opis
Cev beš.kons. 139,7 x 6,3 P235TR2	659.4	kg	12,03m+6m+2,41m+0,45m
Cev beš.kons. 139,7 x 7,1 E235	7.0	kg	0,29m
Cev beš.kons. 139,7 x 8,0 E275	62.0	kg	2m
Cev beš.kons. 139,7 x 8,8 E355	21.0	kg	0,71m
Cev beš.kons. 139,7 x 8,8 P235TR1	7.0	kg	
Cev beš.kons. 152,4 x 25,0 S355J2H	2,022.5	kg	4,12m+4,1m+4,09mx3+4,11m+1,43mm
Cev beš.kons. 152,4 x 6,3 E355	12.0	kg	0,53m
Cev beš.kons. 152,4 x 8,0 S355J2H	2,211.5	kg	6,08m-6,09mx12+4,378m+0,31m
Cev beš.kons. 159,0 x 17,5,0 S355J2H	2,000.0	kg	6,07m-6,1mx4+2,7m
Cev beš.kons. 159,0 x 30,0 S355J2H	1,530.0	kg	3,4m+3,45m+3,44m+3,43m+2,535m
Cev beš.kons. 159,0 x 6,3 E275	428.0	kg	6m+5,06m+1,3m+1,05m+0,34m
Cev beš.kons. 159,0 x 7,1 E235	1,765.5	kg	6mx5+1,11m+5,22m+4,33m+4,99m+5,31m+6mx2+
Cev beš.kons. 168,3 x 10,0 E355	648.0	kg	1,62m-***zid 11,5mm+6,65mx2-zid 11-11,5
Cev beš.kons. 168,3 x 11,0 E275	91.0	kg	1,89m
Cev beš.kons. 168,3 x 11,0 E355	393.0	kg	4,54m*+-ZID 12,5m+2,33m+0,73m+0,63m
Cev beš.kons. 168,3 x 12,5 E235	478.5	kg	0,34m+4,6m+4,54m
Cev beš.kons. 168,3 x 14,2 E235	63.0	kg	1,14m
Cev beš.kons. 168,3 x 16,0 E355	641.0	kg	6m+3,03m
Cev beš.kons. 168,3 x 17,5 E275	406.0	kg	6,88m
Cev beš.kons. 168,3 x 17,5 E355	232.0	kg	3,08m- zid18-20-spoljni 166
Cev beš.kons. 168,3 x 20,0 E235	48.0	kg	0,43m
Cev beš.kons. 168,3 x 20,0 E355	18.0	kg	0,18m
Cev beš.kons. 168,3 x 22,2 E355	383.0	kg	4,69m
Cev beš.kons. 168,3 x 25,0 E355	12.0	kg	
Cev beš.kons. 168,3 x 30,0 E355	799.5	kg	6m+1,93m
Cev beš.kons. 168,3 x 6,3 E235	13.5	kg	0,28m
Cev beš.kons. 168,3 x 6,3 E355	574.5	kg	6m+3,85m+6m+4,43m-zid 8-9
Cev beš.kons. 168,3 x 7,11 L245	695.5	kg	0,58m+0,94m+1,38m+1,81m+0,2m+3,5m+5,79m+
Cev beš.kons. 168,3 x 8,0 E355	282.0	kg	6m+2,48m
Cev beš.kons. 168,3 x 9,0 E235	336.0	kg	6m+3,02m
Cev beš.kons. 177,8 x 10,0 E355	161.0	kg	0,21m+0,33m+2,165m-zid 12.5-15
Cev beš.kons. 177,8 x 12,5 E355	835.0	kg	6*m+5,92m-zid 14,5
Cev beš.kons. 177,8 x 14,2 E355	269.0	kg	0,2m
Cev beš.kons. 177,8 x 16,0 E355	612.5	kg	3,77m+6,08m
Cev beš.kons. 177,8 x 17,5 E355	407.0	kg	5,1m+0,5m
Cev beš.kons. 177,8 x 6,3 E235	35.0	kg	
Cev beš.kons. 177,8 x 6,3 E355	121.5	kg	4,19m
Cev beš.kons. 177,8 x 8,8 E355 II	450.0	kg	2,85m+6m+2,48m
Cev beš.kons. 191,0 x 10,0 E355	616.0	kg	6,31mx2
Cev beš.kons. 191,0 x 14,2 E355	220.0	kg	4,66m
Cev beš.kons. 191,0 x 22,2 E355	96.0	kg	1,05m
Cev beš.kons. 191,0 x 28,0 E355	675.0	kg	5,91m
Cev beš.kons. 191,0 x 40,0 E355	422.0	kg	2,39m
Cev beš.kons. 193,7 x 12,5 E355	19.5	kg	0,36m
Cev beš.kons. 193,7 x 32,0 E355	451.0	kg	3,485m
Cev beš.kons. 200,0 x 23,5 E470	20.5	kg	0,2m
Cev beš.kons. 203,0 x 10,0 E355	53.0	kg	0,86m+0,26m
Cev beš.kons. 203,0 x 22,2 E355	288.5	kg	1m
Cev beš.kons. 203,0 x 38,1 E355	170.6	kg	1,26m*

Proizvod	Količina	JM	Opis
Cev beš.kons. 203,0 x 8,0 E355	85.5	kg	0,38m+2,72m
Cev beš.kons. 21,3 x 2,3 P235TR1+N	997.5	kg	6,01mx150
Cev beš.kons. 21,3 x 2,6 P235TR1+N	1,620.0	kg	6mx222
Cev beš.kons. 21,3 x 2,6 S355J2H	2.0	kg	2,19m
Cev beš.kons. 21,3 x 3,73 Grad B	531.5	kg	(5,5-6) x 48-razli;ite debljine+2,76m+5,56m
Cev beš.kons. 216,0 x 10,0 E355	627.0	kg	6m+5,31m
Cev beš.kons. 216,0 x 25,0 E355	326.0	kg	2,75m
Cev beš.kons. 216,0 x 40,0 E355	179.0	kg	0,94m
Cev beš.kons. 219,1 x 10,0 E355	624.0	kg	0,99m+0,51m+0,5m+1,39m+6m+2m
Cev beš.kons. 219,1 x 11,0 E355	26.5	kg	0,45m
Cev beš.kons. 219,1 x 14,2 E355	424.0	kg	5,66m
Cev beš.kons. 219,1 x 16,0 E275	191.0	kg	1,36m+0,83m
Cev beš.kons. 219,1 x 18,26 E275	383.0	kg	6,37m
Cev beš.kons. 219,1 x 20,0 E275	425.0	kg	4,38m*
Cev beš.kons. 219,1 x 6,3 E235	187.5	kg	0,53m+0,4m+0,63m+0,96m
Cev beš.kons. 219,1 x 6,3 E355	265.0	kg	5,51m**
Cev beš.kons. 219,1 x 6,35 E275	20.0	kg	0,36m
Cev beš.kons. 219,1 x 60,0 E355	943.0	kg	3m+1,02m
Cev beš.kons. 219,1 x 7,1 E235	391.0	kg	6m+4,14m
Cev beš.kons. 219,1 x 7,1 E355	244.0	kg	6,07m*
Cev beš.kons. 219,1 x 8,18 ASTM A	152.5	kg	0,2m+3,78m
Cev beš.kons. 22,0 x 2,5 Č.1212	167.0	kg	5mx25+0,69m+2m+1,48m+1,16m+1,32m+2,07m
Cev beš.kons. 229,0 x 10,0 E355	485.5	kg	6m+3,85m
Cev beš.kons. 229,0 x 14,2 E355	221.0	kg	2,96m
Cev beš.kons. 229,0 x 20,0 E355	704.0	kg	0,4m+1,97m*
Cev beš.kons. 229,0 x 7,1 E355	474.0	kg	6m+5,69m
Cev beš.kons. 241,0 x 22,2 E355	322.0	kg	2,5m
Cev beš.kons. 241,0 x 50,0 E355	375.0	kg	1,58m***
Cev beš.kons. 244,5 x 12,5 E275	367.0	kg	5,28m+1m
Cev beš.kons. 244,5 x 12,5 E355 II	29.5	kg	0,35m
Cev beš.kons. 244,5 x 17,5 E355	846.0	kg	6m***+1,34m
Cev beš.kons. 244,5 x 20,0 E355	144.0	kg	1,27m
Cev beš.kons. 244,5 x 35,0 E355	711.0	kg	3,91m
Cev beš.kons. 244,5 x 6,3 E355	7.0	kg	0,21m
Cev beš.kons. 244,5 x 6,35 E355	451.0	kg	6m+5,9m
Cev beš.kons. 244,5 x 7,1 E355	997.0	kg	6mx2+4,47m+6m+0,4m
Cev beš.kons. 244,5 x 8,0 E355	221.5	kg	4,45m
Cev beš.kons. 245,0 x 10,0 E235	649.5	kg	2,56m*+1,84m*+5,9m
Cev beš.kons. 25,4 x 2,0 S235JRH	329.0	kg	(3-8) x 56+1,07x2+1,06m
Cev beš.kons. 254,0 x 10,0 E355	5.0	kg	1,47m+0,24m
Cev beš.kons. 254,0 x 25,0 E355	278.0	kg	1,91m
Cev beš.kons. 254,0 x 27,8 E355	879.0	kg	5,49m
Cev beš.kons. 254,0 x 32,0 E355	57.5	kg	0,155m
Cev beš.kons. 26,7 x 2,87 ZP16Mn52NS	341.0	kg	4,9m-5,87mx32+2,8mx4
Cev beš.kons. 26,9 x 2,6 P235TR1	1,128.0	kg	4,35m+4,05m+2,05m+5mx4+1,35m+6,07mx122+1,
Cev beš.kons. 26,9 x 3,6 St52	248.0	kg	oko 11,76mx10+1m+1,69m+0,84m+0,61m*
Cev beš.kons. 26,9 x 4,0 ZP8Mn45	199.5	kg	oko 12mx8*+0,46m
Cev beš.kons. 26,9 x 5,0 P355NH+N	654.0	kg	6,05mx39
Cev beš.kons. 267,0 x 10,0 E355 II	213.5	kg	3,2m

Proizvod	Količina	JM	Opis
Cev beš.kons. 267,0 x 14,2 E355	744.0	kg	2,62m+4,27m
Cev beš.kons. 267,0 x 15,0 L245	44.0	kg	0,47m
Cev beš.kons. 267,0 x 16,0 E355	418.0	kg	4,09m
Cev beš.kons. 267,0 x 22,2 E355	290.0	kg	2,45m
Cev beš.kons. 267,0 x 6,3 E355	18.0	kg	0,41m+0,2m
Cev beš.kons. 267,0 x 60,0 E355	341.5	kg	1,08m
Cev beš.kons. 267,0 x 8,0 E235	339.5	kg	6,01m+0,3m
Cev beš.kons. 273,0 x 10,0 E235	142.0	kg	2,26m*
Cev beš.kons. 273,0 x 11,0 E235	441.5	kg	0,9m+4,93m
Cev beš.kons. 273,0 x 11,0 E355	260.0	kg	0,56m***+0,17m***+1,3mx2***
Cev beš.kons. 273,0 x 12,5 E235	468.0	kg	5,96m
Cev beš.kons. 273,0 x 14,2 E355	724.0	kg	6m+2,17m
Cev beš.kons. 273,0 x 15,09 E275	43.0	kg	
Cev beš.kons. 273,0 x 15,09 E355	22.0	kg	0,46m
Cev beš.kons. 273,0 x 18,26 ASTM A333	45.0	kg	0,32m*
Cev beš.kons. 273,0 x 28,0 E355	903.0	kg	5,37m
Cev beš.kons. 273,0 x 30,0 E355	10.0	kg	
Cev beš.kons. 273,0 x 36,0 E275	1,234.0	kg	5,79m
Cev beš.kons. 273,0 x 45,0 E355	16.0	kg	
Cev beš.kons. 273,0 x 6,3 E355	42.0	kg	1,01m+0,2m
Cev beš.kons. 273,0 x 6,35 E275	114.0	kg	2,37m
Cev beš.kons. 273,0 x 7,1 E275	337.0	kg	6m+0,91m
Cev beš.kons. 273,0 x 7,8 ASTM A 106	191.0	kg	0,15m
Cev beš.kons. 273,0 x 9,27 ASTM A	375.0	kg	3,03m+1,59mm+1,06m+0,7m
Cev beš.kons. 279,0 x 12,5 E355	846.0	kg	6m+4,32m
Cev beš.kons. 28,0 x 4,5 12220	1,088.0	kg	6mx47+-2,74mx46
Cev beš.kons. 28,0 x 7,0 CK45 BK	21.0	kg	0,39m+2,36m
Cev beš.kons. 298,5 x 12,5 E355	584.0	kg	6,52m
Cev beš.kons. 298,5 x 16,0 E355	535.0	kg	4,77m
Cev beš.kons. 298,5 x 20,0 E355	794.0	kg	5,68m
Cev beš.kons. 298,5 x 25,0 E355	179.0	kg	1,05m
Cev beš.kons. 298,5 x 60,0 E355	836.0	kg	2,34m
Cev beš.kons. 298,5 x 8,0 E355	13.5	kg	
Cev beš.kons. 298,5 x 8,8 E355	433.0	kg	0,37m*+6,5m
Cev beš.kons. 30,0 x 4,0 P235TR1	610.4	kg	6,02mx34+2,2m
Cev beš.kons. 305,0 x 10,0 E355	333.0	kg	4,26m+0,2m
Cev beš.kons. 305,0 x 12,5 E355	924.0	kg	6m+3,8m
Cev beš.kons. 305,0 x 14,2 E355	934.0	kg	6m+3,04m
Cev beš.kons. 305,0 x 17,5 E355	268.0	kg	1,47m+0,6m
Cev beš.kons. 305,0 x 19,0 E355	48.5	kg	0,31m
Cev beš.kons. 305,0 x 25,0 E355	957.0	kg	5,33m
Cev beš.kons. 305,0 x 8,0 E355	337.5	kg	5,5m
Cev beš.kons. 31,8 x 4,0 P235TR1	1,189.0	kg	6mx69+4,0m
Cev beš.kons. 31,8 x 4,0 S355J2H	6.0	kg	6,08mx2+2,32m+3,02m
Cev beš.kons. 31,8 x 6,3 15229.5	22.5	kg	4,5m+1,0m
Cev beš.kons. 318,0 x 17,5 E355	744.0	kg	5,75m
Cev beš.kons. 318,0 x 20,0 E355	1,100.0	kg	6m+1,245m
Cev beš.kons. 32,0 x 4,0 P265TR2	17.0	kg	6,45m
Cev beš.kons. 32,0 x 4,5 S235J2H	204.0	kg	6mx2+1,48m

Proizvod	Količina	JM	Opis
Cev beš.kons. 32,0 x 4,5 S275JOH	838.0	kg	6m x 38+5,5m+4,5m+2,35m+2,43m+2,99m+5,44m x
Cev beš.kons. 323,9 x 10,0 E355	755.5	kg	6m+3,02m
Cev beš.kons. 323,9 x 11,53 ASTM A	250.0	kg	0,54m+0,76m+1,26m
Cev beš.kons. 323,9 x 12,5 E355	1,096.0	kg	0,45m+0,19m+3,58m+1,02m+6m
Cev beš.kons. 323,9 x 12,7 ASM A 106	265.0	kg	1,03m+0,47m+0,25m+0,42m+0,54m
Cev beš.kons. 323,9 x 16,0 ASTM A	455.0	kg	3,63m+0,3m
Cev beš.kons. 323,9 x 17,0 ASTM A	1,364.0	kg	6,59m+3,56m
Cev beš.kons. 323,9 x 32,0 S235JRH	1,174.0	kg	0,06m+4,21-zid do 35mm
Cev beš.kons. 323,9 x 42,0 E275	1,449.0	kg	4,91m
Cev beš.kons. 323,9 x 60,0 E355	866.0	kg	2,25m
Cev beš.kons. 323,9 x 7,1 E235	68.0	kg	1,77m
Cev beš.kons. 323,9 x 7,1 E275	5.5	kg	0,09m
Cev beš.kons. 323,9 x 7,1 E355	70.5	kg	0,44m***
Cev beš.kons. 324,0 x 8,0 E235	57.0	kg	0,9m
Cev beš.kons. 33,0 x 2,0 St37.0	741.0	kg	(3m-3,5m)x90+(0,5m-1,4m)x30 zardjale
Cev beš.kons. 33,4 x 3,38 P11 ASME	32.0	kg	4,5m+5,5m-krive+0,92m+1,06m
Cev beš.kons. 33,4 x 4,5 S235JRH	453.0	kg	L=6,06mx25+3m
Cev beš.kons. 33,4 x 4,55 S355J2H	47.0	kg	L=6mx2+2,99m+0,96m
Cev beš.kons. 33,7 x 2,6 P235TR1	8.5	kg	1,15m+0,79m+1,5m
Cev beš.kons. 33,7 x 3,2 P235TR1	62.0	kg	6mx2+4,03m+2,34m+1,95m+0,78m+0,42m+1,29m
Cev beš.kons. 33,7 x 3,2 S235JRH	334.5	kg	7,13mx19+4,12m
Cev beš.kons. 33,7 x 3,6 P235TR1	5.0	kg	2m+0,71m
Cev beš.kons. 33,7 x 4,0 ZP16Mn52NS	5.0	kg	1,85m-spoljni 32+0,7m
Cev beš.kons. 33,7 x 7,1 P355N	16.5	kg	0,51m
Cev beš.kons. 330,0 x 12,5 E355	268.0	kg	2,68m
Cev beš.kons. 34,0 x 4,5 E355+C	55.0	kg	2m+1,89m+1,36m+0,67m+1,86m+4,78m+4,19m+0
Cev beš.kons. 343,0 x 25,0 E355	1,467.5	kg	6m+1,34m-zid 23-28
Cev beš.kons. 343,0 x 50,0 E355	154.0	kg	0,41m
Cev beš.kons. 35,0 x 6,3 ZP60Mn70(C60)	12.5	kg	3,14m+1,55m
Cev beš.kons. 355,6 x 10,0 E355	969.0	kg	3,33m+6m
Cev beš.kons. 355,6 x 11,0 L245	920.0	kg	5,37m-jajasta-zid 9-10,spoljni 340-367+5,37m
Cev beš.kons. 355,6 x 12,5 E355	803.0	kg	6.0m*+1.37m*
Cev beš.kons. 355,6 x 12,7 API 5L	326.0	kg	0,35m+0,23m+2,36m
Cev beš.kons. 355,6 x 16,0 E355	685.0	kg	4,81m
Cev beš.kons. 355,6 x 19,1 E275	42.0	kg	0,26m*
Cev beš.kons. 355,6 x 20,0 E355	115.0	kg	0,65m
Cev beš.kons. 355,6 x 25,0 E355	1,036.0	kg	(0,35m-zid 22,5-29)+4,16m
Cev beš.kons. 355,6 x 35,0 E355	173.0	kg	0,73m
Cev beš.kons. 355,6 x 60,0 E355	746.0	kg	1,81m*-zid 58-65
Cev beš.kons. 355,6 x 9,53 API 5L	548.5	kg	0,99m+5,23m
Cev beš.kons. 355,6 x 9,53 L245	691.0	kg	4,1m+2,05m+2,83m+1,25m+4,65m
Cev beš.kons. 358,0 x 12,5 St37.0	165.0	kg	1,54m
Cev beš.kons. 368,0 x 10,0 E355	991.5	kg	2,06m+0,42m+1,74m+6m
Cev beš.kons. 368,0 x 12,5 E355	261.0	kg	2,55m
Cev beš.kons. 368,0 x 14,2 E355	1,142.0	kg	6m+2,87m
Cev beš.kons. 368,0 x 22,2 E355	905.5	kg	4,65m
Cev beš.kons. 368,0 x 30,0 E355	1,022.0	kg	3,91m
Cev beš.kons. 377,0 x 12,5 E235 II	239.0	kg	0,69m+1,26m
Cev beš.kons. 377,0 x 20,0 E355	223.0	kg	1,44m

Proizvod	Količina	JM	Opis
Cev beš.kons. 38,0 x 3,5 S235JRH	155.5	kg	L=6,02mx7+0,74m
Cev beš.kons. 38,0 x 5,0 P235TR2	446.3	kg	6,08mx17+3,96m
Cev beš.kons. 38,0 x 8,0 P235TR2	295.5	kg	7,6mx5+1,85m
Cev beš.kons. 381,0 x 60,0 E355	658.0	kg	1,37m
Cev beš.kons. 394,0 x 22,2 E355	312.0	kg	1,4m
Cev beš.kons. 394,0 x 30,0 E355 II	1,279.5	kg	0,33m+4,23m
Cev beš.kons. 406,4 x 20,0 E355	729.0	kg	3,895m
Cev beš.kons. 406,4 x 25,0 E355	434.0	kg	1,79m-zid 23-27,5
Cev beš.kons. 406,4 x 30,0 E355	196.0	kg	0,8m
Cev beš.kons. 406,4 x 32,0 S355J2H	1,055.5	kg	3,25m
Cev beš.kons. 406,4 x 50,0 E355	1,122.0	kg	2465m-zid 48-52
Cev beš.kons. 42,4 x 3,6 E355	253.7	kg	5,78mx9+1,27mx2+2,78m+1,44m+1,74mx2+0,75m
Cev beš.kons. 42,4 x 4,0 E235	3.5	kg	1,09m+1,33m
Cev beš.kons. 42,4 x 4,5 P355NL1	18.4	kg	1m+3,47m*
Cev beš.kons. 42,4 x 5,0 P235TR1	1,227.0	kg	6mx49
Cev beš.kons. 42,4 x 6,3 P355N	870.0	kg	4,06mx36+2,04m
Cev beš.kons. 42,4 x 6,3 S235JRH	267.9	kg	4,27mx10+1,44m+1,2m
Cev beš.kons. 44,5 x 10,0 E355+N	853.5	kg	6,04mx13+3,74m
Cev beš.kons. 44,5 x 5,6 ZP16Mo3	766.0	kg	6x11+4m+0,6m+5,36x12+2,1m+2,7m
Cev beš.kons. 44,5 x 8,0 P235TR2	702.5	kg	6mx15+4,55m
Cev beš.kons. 457,0 x 21,5 ASTMA A	7.0	kg	0,03m
Cev beš.kons. 48,3 x 2,6 OLT35	18.0	kg	5,07m+0,93m
Cev beš.kons. 48,3 x 2,6 S235JRH	32.0	kg	6,05m+,1,4m+0,65m+0,38m+3,05m
Cev beš.kons. 48,3 x 2,6 ZP16Mn52NS	592.0	kg	7,4mx23+1,4mx9+6m+5m+8,4m-odneto
Cev beš.kons. 48,3 x 3,0 S355J2H	10.0	kg	2,01m+1,03m
Cev beš.kons. 48,3 x 3,2 P235TR2	2.0	kg	0,26m+0,29m+0,75m
Cev beš.kons. 48,3 x 3,2 S275J2H	2.0	kg	4,03m
Cev beš.kons. 48,3 x 3,6 ZP10Mn52	56.0	kg	5,68mx7+5mx2+2,98m+0,72m
Cev beš.kons. 48,3 x 4,0 E355+N	3.0	kg	0,51m+2m+0,57m+0,27m
Cev beš.kons. 48,3 x 5,08 P11 ASTM A	23.0	kg	4,17m
Cev beš.kons. 48,3 x 6,3 P235TR1	369.0	kg	6,07mx8+1,05m+0,7m
Cev beš.kons. 48,3 x 7,1 C55E	150.0	kg	6,49m+6,7m+5,86m
Cev beš.kons. 48,3 x 7,1 P235TR1	1,539.0	kg	6mx34+4m
Cev beš.kons. 48,3 x 8,0 C55E	175.5	kg	6,32m+0,69m
Cev beš.kons. 48,3 x 8,0 P235TR1	1,616.0	kg	6mx33+3m
Cev beš.kons. 508,0 x 10,0 ASTM A 106	548.0	kg	0,44***m+0,44m+0,23m+0,64m+2,585m****+0,0
Cev beš.kons. 508,0 x 16,0 S355J2H	874.0	kg	4,36m
Cev beš.kons. 51,0 x 2,9 P235TR2	534.3	kg	6,06mx24+4,05m+3m+1,02m-kriva+0,54m
Cev beš.kons. 51,0 x 3,2 ZP10Mn52	1.5	kg	0,43m+0,78m
Cev beš.kons. 54,0 x 4,0 S235JRH	26.5	kg	1,23m
Cev beš.kons. 54,0 x 4,5 S235JRH	435.8	kg	L=6,07mx5+4,06m**
Cev beš.kons. 54,0 x 5,0 S235JRH	2.0	kg	0,29m+2,89m
Cev beš.kons. 550,0 x 20	1,060.0	kg	4,06m***
Cev beš.kons. 57,0 x 2,9 P235TR2	481.0	kg	6,72mx19+3m
Cev beš.kons. 57,0 x 2,9 S235JRH	217.5	kg	L=6,04mx6+0,59m+6m+4m
Cev beš.kons. 57,0 x 3,2 S355J2H	30.0	kg	0,61+6m
Cev beš.kons. 57,0 x 4,5 S235JRH	96.5	kg	7,54m+1,67m+0,72m+1,56m+3,54m+0,48m
Cev beš.kons. 57,0 x 5,0 S235JRH	67.5	kg	4,44m+5,9m+6,07m+7,08m
Cev beš.kons. 57,0 x 6,3 S235JRH	4.5	kg	0,4m

Proizvod	Količina	JM	Opis
Cev beš.kons. 60,3 x 10,0 S355J2H	824.5	kg	6mx11+1,09m
Cev beš.kons. 60,3 x 12,5 E355	448.0	kg	8,43mx2+6,42m+1,4m+0,36m
Cev beš.kons. 60,3 x 12,5 P235TR2	12.5	kg	
Cev beš.kons. 60,3 x 14,2 E355	1,683.0	kg	oko 6,74mx15+1,24m
Cev beš.kons. 60,3 x 2,8 S355J2H	5.5	kg	1,43m
Cev beš.kons. 60,3 x 2,9 P235TR1	209.4	kg	0,99m,+4,37m+0,57m+0,44m+3,08m+5,05m+6mx5
Cev beš.kons. 60,3 x 3,1 S235JRH	387.0	kg	6m x 17+5,3m+1,03m
Cev beš.kons. 60,3 x 3,2 P235TR1	18.0	kg	4,14m+0,43+0,19m+0,57m+0,42m+0,63m
Cev beš.kons. 60,3 x 3,6 P235TR2	1,196.0	kg	6,04mx28+6,04mx8+2,99m
Cev beš.kons. 60,3 x 3,6 St37.0	73.5	kg	6m+3,02m
Cev beš.kons. 60,3 x 4,0 ZP8Mn45NS	745.5	kg	6,02x3+1,2m+7,05mx13+5m+5,08m+0,4m
Cev beš.kons. 60,3 x 4,5 P235TR1	1,222.0	kg	6mx29+0,67m
Cev beš.kons. 60,3 x 4,5 S275JOH	3.5	kg	0,63m
Cev beš.kons. 60,3 x 5,0 18Mn122	315.0	kg	6,57mx5+4,67m-zid 6
Cev beš.kons. 60,3 x 5,0 P235TR2	29.0	kg	6m
Cev beš.kons. 60,3 x 5,54 X42 API SPEC.5L	45.5	kg	1,44m+3,04m+0,82m
Cev beš.kons. 60,3 x 5,6 P235TR1	190.5	kg	L=6,02mx4
Cev beš.kons. 60,3 x 6,3 P235TR1	94.0	kg	6,05m+2,74m+2,03m+1,2m
Cev beš.kons. 60,3 x 8,0 S355J2H	1,197.0	kg	6mx18+2m+1,79m+0,37m
Cev beš.kons. 60,3 x 8,73 S275JOH	7.5	kg	4,74m+0,71m
Cev beš.kons. 60,3 x 8,74 S275JOH	34.5	kg	1,55m+1,4m
Cev beš.kons. 63,5 x 14,2 E355	1,450.0	kg	6,92mx13
Cev beš.kons. 63,5 x 2,9 S235JRH	4.0	kg	1,25m
Cev beš.kons. 63,5 x 3,5 S235JRH	282.1	kg	L=6,02mx6+4m+0,68m+2,34m
Cev beš.kons. 63,5 x 4,5 S235JRH	307.5	kg	8,09mx5+6,56m
Cev beš.kons. 63,5 x 4,5 S355J2H	2,296.0	kg	6mx57
Cev beš.kons. 63,5 x 5,0 S275JOH	45.5	kg	L=6,07m
Cev beš.kons. 63,5 x 5,6 S275JOH	391.0	kg	L=7,43mx5+5,4+6m+1,4m
Cev beš.kons. 63,5 x 6,3 ZP8Mn45	346.5	kg	0,77m+1,34m+0,59m+0,54m+0,69m+0,75m+4,27m
cev beš.kons. 63,5 x 8,8 E355	103.0	kg	2,8m+4,65m
Cev beš.kons. 65,0 x 7,5 S355J2H	200.0	kg	L=7,3m+5,29m+1,6m+1,2m
Cev beš.kons. 66,5 x 5,6 S235JRH	1,090.0	kg	6mx10+5,59mx10+6,59m+2,47m+1,27m
Cev beš.kons. 70,0 x 4,0 E355+N	1,013.5	kg	6mx25+1,13m
cev beš.kons. 70,0 x 8,0 E355	8.0	kg	0,65m
Cev beš.kons. 73,0 x 7,01 P235TR2	157.8	kg	6,74m+5,03m+1,5m+0,82m
Cev beš.kons. 73,0 x 7,01 ZP8Mn45NS	10.0	kg	0,82m
Cev beš.kons. 76,1 x 16,0 E235	1,146.5	kg	5,9m+0,68m+5,79m+0,92m+1,7m+5,81mx3+1,39m
Cev beš.kons. 76,1 x 2,8 S235JRH	491.5	kg	6,05mx15kom+4,55m
Cev beš.kons. 76,1 x 2,9 S355J2H	15.5	kg	4m-kriva
Cev beš.kons. 76,1 x 2,9 ZP8Mn45NS	334.5	kg	6mx3+5,28mx8+2,6m
Cev beš.kons. 76,1 x 3,2 S355J2H	19.5	kg	1,27m
Cev beš.kons. 76,1 x 3,6 E235	3.0	kg	0,49m
Cev beš.kons. 76,1 x 4,0 GRADE A-1	117.0	kg	5,97m+4,82m+0,7m
Cev beš.kons. 76,1 x 4,0 P235TR1	95.5	kg	1,91mx4+1,7m+0,49m+1,85m+0,69mx16
Cev beš.kons. 76,1 x 4,0 P235TR2	969.0	kg	oko 7,1mx19
Cev beš.kons. 76,1 x 4,0 St37.0	36.3	kg	5,03m+1mx2
Cev beš.kons. 76,1 x 4,5 P235TR1	580.0	kg	6mx10+2,03m+0,93m
Cev beš.kons. 76,1 x 5,0 P235TR1	672.0	kg	6mx11+0,7m
Cev beš.kons. 76,1 x 6,3 8617H SAE	601.5	kg	oko 6,5m-6,6mx5

Proizvod	Količina	JM	Opis
Cev beš.kons. 76,1 x 6,3 P235TR1	167.0	kg	6mx2+4,5m+0,79m
Cev beš.kons. 76,1 x 7,1 S355J2H	1,575.0	kg	6,02mx9+1,97m+0,46m+6mx12+2,91m
Cev beš.kons. 80,0 x 8,5 P355N	553.0	kg	6mx3+5,23m+2,34m+5,36mx2
Cev beš.kons. 82,5 x 12,5 E355	1,196.5	kg	oko 6,2mx9+2,79m
cev beš.kons. 82,5 x 12,5 S355J2H	11.0	kg	0,2m
Cev beš.kons. 82,5 x 16,0 E355	276.5	kg	6,3m+4,29m
Cev beš.kons. 82,5 x 3,2 P265TR1	75.5	kg	2,78mx2+2,87m+6+0,86m+1,81m+2,65m
Cev beš.kons. 82,5 x 3,6 S235JRH	488.0	kg	0,27x7+0,55m+6mx10+3,51m+6m+0,45m+0,93m
Cev beš.kons. 82,5 x 4,5 20MnV6	31.5	kg	0,69m+1,97m+1,74m
Cev beš.kons. 82,5 x 8,0 E355	237.0	kg	6mx2+4m+1,34m
Cev beš.kons. 82,5 x 8,8 S355J2H	1,425.0	kg	6mx14+0,31m+2,24m
Cev beš.kons. 88,9 x 16,0 18Mn122	293.0	kg	3,99m+0,54m+0,25m
Cev beš.kons. 88,9 x 16,0 E355	637.0	kg	9,19m+9,23m+5,15m
Cev beš.kons. 88,9 x 16,0 S235JRH	1,549.0	kg	4,48mx12
Cev beš.kons. 88,9 x 25,0 S355J2H	115.5	kg	2,84m
Cev beš.kons. 88,9 x 3,2 E235	1,134.0	kg	6mx20++0,29m+2,17m+1,79m+3mx2+0,18mx2+0,
Cev beš.kons. 88,9 x 4,0 P235TR2	514.0	kg	6mx6+3m+1,5m+6mx2
Cev beš.kons. 88,9 x 5,0 P235TR1	7.5	kg	0,77m
Cev beš.kons. 95,0 x 10,0 E235	1.0	kg	
Cev beš.kons. 95,0 x 12,5 E355	202.5	kg	5,08m+0,37mm
Cev beš.kons. 95,0 x 7,1 E355	688.5	kg	6mx6+1,08m+0,33mx2+0,27m+2,76m+0,38m+3,1

Šavne cevi

Proizvod	Količina	JM	Opis
Cev šav. ZP profil 1004 Č.0361	304.0	kg	6x15 kom
Cev šav. ZP profil 1204 Č.0361	6.5	kg	3m
Cev šav. ZP profil 1304	5.0	kg	1,57m
Cev šav.kvad. 20x20x1,8 S235	22.5	kg	6mx4+2m
Cev šav.kvad. 25x25x2	99.0	kg	6mx5+6mx8
Cev šav.kvad. 30x30x2	79.5	kg	6mx8+3m
Cev šav.kvad. 40x40x2,8	266.0	kg	6mx14
Cev šav.kvad. 50x50x2,0	70.0	kg	6m+2,5m
Cev šav.kvad. 50x50x3,0	227.0	kg	6mx9
Cev šav.kvad. 60x60x2,8	858.5	kg	13 kom za rafove+6mx13+2m
Cev šav.kvad. 70x70x2,5	16.0	kg	3m
Cev šav.kvad. 80x80x3	175.0	kg	6mx4+3m
Cev šav.okrugla 1"(33,7x2,2)	251.0	kg	6x19+1m+2m+2m+1m
Cev šav.okrugla 1"x3,2 HI	282.0	kg	6mx18+1,5mx7+4m+3,5m
Cev šav.okrugla 159,0 x 3,8 S235JRH	43.5	kg	2,63m
Cev šav.okrugla 2" x 2,0 (60,3mm)	40.0	kg	0,64m+0,46m
Cev šav.okrugla 219,1 x 3,8 S235JRH	62.5	kg	2,84m
Cev šav.okrugla 25,0 x 1,5 HV	108.0	kg	6m x 17+6m-kriva
Cev šav.okrugla 3/8	139.0	kg	6mx26+4m
Cev šav.okrugla 42,4x1,5	15.5	kg	2,91+6
Cev šav.okrugla 5/4" 42,4x2,6	15.0	kg	6m
Cev šav.okrugla 5/4x3,2 " HI	9.0	kg	2,45m
Cev šav.okrugla 508 x 8	27.0	kg	0,28m
Cev šav.okrugla 550 x 8	125.0	kg	0,55m*x2
Cev šav.okrugla 60,3 x 1,5 HV	44.5	kg	6x5kom - ulubljene
Cev šav.okrugla 63,5x3,0	997.0	kg	6mx29 +1,29m+0,43m+6mx2
Cev šav.okrugla 920 x 10	622.5	kg	2,77m
Cev šav.prav. 250x150x6	405.0	kg	6mx2kom
Cev šav.prav. 30x20x2,0	118.0	kg	6mx15
Cev šav.prav. 40x20x1,9 S235	48.0	kg	6mx4
Cev šav.prav. 40x20x2	91.5	kg	6mx10
Cev šav.prav. 60x40x2,0	15.0	kg	3 - kriva
Cev šav.prav. 60x40x2,8	264.0	kg	6mx10
Cev šav.prav. 80x40x2 Č.0361	183.5	kg	6mx9kom+1,33m+0,8m+2m
Cev šav.prav. 80x40x2,8	294.0	kg	6mx10

Hamburški lukovi

Proizvod	Količina	JM	Opis
Hamburški luk fi 101,6x3,6 R-1,5 D 90 P235GH	2.0	kom	2
Hamburški luk fi 108,0x4,0 R-1,5 D 90 P235TR	3.0	kom	3
Hamburški luk fi 114,3x4,0 R-1,5 D 90 P235GH	40.0	kg	40
Hamburški luk fi 114,3x4,0 R-1,5 D 90 P235TR	36.0	kom	36
Hamburški luk fi 114,3x8,8 R-1,5 D 90 P235GH	1.0	kom	1-presečen na pola
Hamburški luk fi 139,7x4,5 St35.8	1.0	kom	1
Hamburški luk fi 139,7x6,3 R-1,5 D 30	79.0	kom	79 kom
Hamburški luk fi 139,7x6,3 R-1,5 D 90	33.0	kom	33 kom
Hamburški luk fi 139,7x6,3 R-2 D 90	1.0	kom	1 kom
Hamburški luk fi 152,4x6,3 R-1,5 D 90 St37.0	1.0	kom	1
Hamburški luk fi 159,0x5,0 R-1,5 D 90	3.0	kom	3
Hamburški luk fi 159,0x5,5 R-1,5 D 90	6.0	kom	6
Hamburški luk fi 168,3x4,5 R-1,5 D 90	1.0	kom	
Hamburški luk fi 168,3x7,1 R-3 D 30	9.0	kom	9 kom
Hamburški luk fi 168,3x8,8 R-1D 180	4.0	kom	4 kom
Hamburški luk fi 21,3x2,3 (1/2") R-1,5 D 90 P	12.0	kom	19
Hamburški luk fi 219,1x15 R-1 D 180	3.0	kom	3 kom
Hamburški luk fi 219,1x15 R-1,5 D 90	4.0	kom	4 kom
Hamburški luk fi 26,9x2,6 R-1,5 D 90	30.0	kom	30
Hamburški luk fi 33,7x2,6 R-1,5 D 90	18.0	kom	18
Hamburški luk fi 33,7x2,6 R-1,5 D 90 P235T	18.0	kom	18
Hamburški luk fi 33,7x3,2 R-1,5 D 90 P235GH-	1.0	kom	1
Hamburški luk fi 33,7x3,2 R-1,5 D 90 P235TR	15.0	kom	15
Hamburški luk fi 42,4x2,6 R-1,5 D 90 P235TR	22.0	kom	19
Hamburški luk fi 42,4x3,2 R-1,5 D 90 P235TR	50.0	kom	50
Hamburški luk fi 48,3x3,2 P235GH	2.0	kom	52
Hamburški luk fi 48,3x3,68 90 ASTMA	2.0	kom	2
Hamburški luk fi 48,3x3,68 R-1,5 D 90 P265GH	25.0	kom	25
Hamburški luk fi 48,3x4,0 R-1,5 D 90	2.0	kom	2
Hamburški luk fi 508,0x8,0 R-1,5 D 45	1.0	kom	1 kom
Hamburški luk fi 508,0x8,0 R-1,5 D 90	3.0	kom	3 kom
Hamburški luk fi 60,3x3,91 R-1,5 D 90	40.0	kom	40
Hamburški luk fi 60,3x4,0 R-1,0 D 90	1.0	kom	1
Hamburški luk fi 60,3x5,0 R-1,5 D 90	1.0	kom	1
Hamburški luk fi 60,3x8,0 R-3 D 90	3.0	kom	3
Hamburški luk fi 60,3x8,8 R-1,5 D 90	3.0	kom	3
Hamburški luk fi 76,1x2,9 R-1,5 D 90 P235TR1	1.0	kom	1
Hamburški luk fi 76,1x3,2 R-1,5 D 180 P235TR	1.0	kom	1 kom
Hamburški luk fi 76,1x3,2 R-1,5 D 90 P235GH	5.0	kom	5
Hamburški luk fi 76,1x4,0 R-1,5 D 90 P265GH	18.0	kom	19
Hamburški luk fi 76,1x4,0 R-2 D 90	1.0	kom	1
Hamburški luk fi 76,1x5,0 R-1,5 D 90	1.0	kom	1
Hamburški luk fi 76,1x5,16 R-1 D 90	3.0	kom	3
Hamburški luk fi 76,1x6,3 R-1,5 D 90 St37.0	15.0	kom	15
Hamburški luk fi 76,1x6,3 R-2D 90	1.0	kom	1 kom
Hamburški luk fi 76,1x9 P235TR	1.0	kom	1 kom
Hamburški luk fi 88,9x4,0 R-1,5 D 90 P265GH	34.0	kom	34

Limovi

Proizvod	Količina	JM	Opis
Lim HVL 04	379.0	kg	850x2000 x n tabli
Lim HVL 06	23.0	kg	800x2000 x3 tabli
Lim HVL 1 DCO1	43.5	kg	1000x2000x 2 table+1000x1000
Lim HVL 10 Zn mesing	87.0	kg	1000x1000 1tabla
Lim TVL 10 DD11	269.0	kg	500x480+420x570
Lim TVL 10 S235JR	774.2	kg	1500x3000+1100x2400+500x600+300x380+150x2
Lim TVL 12 DD11	420.0	kg	190x200
Lim TVL 12 S235JR	464.0	kg	1500x3000+180x400+90x310+310x610+190x290+
Lim tvl 14 Č.0453	1,164.0	kg	2740x2000+250x1210+1190x2000+1720x2280+13
Lim tvl 14 Č.1204	118.0	kg	900x1180
Lim TVL 15	154.0	kg	130x500+110x270+110x560+210x670+500x550
Lim TVL 15 S235JR	220.0	kg	290x300+480x500+130x350+190x660+175x290+2
Lim tvl 16 Č.1204	11.0	kg	110x330+110x460
Lim TVL 2,0 S235JR	46.0	kg	1520x1910
Lim TVL 20 S235JR	1,056.0	kg	160x340+260x340+100x370+250x270+230x330+2
Lim TVL 25	141.0	kg	230x500+160x190+240x250+120x350+110x440+2
Lim TVL 25 S235JR	151.0	kg	300x660+980x1200
Lim TVL 25 S355JR	123.5	kg	175x340+225x250+190x250
Lim TVL 3,5x1160x6000 S235JR	36.5	kg	260x900+
Lim TVL 30 S235JR	559.0	kg	380x680+280x330+180x390+715x1395+215x500
Lim TVL 40 S235	13.5	kg	restlovi
Lim TVL 4x1500x3000 P265GH	288.0	kg	1500x3000-2 table
Lim TVL 4x1500x6000 S235JR	304.5	kg	1500x6000x2krive
Lim TVL 5 S235JR	455.3	kg	600x900+440x530+80x310+1150x960+1500x3000
Lim TVL 5 S355J2+N	18.5	kg	200x810-2 komada+200x300
Lim TVL 6 DD11	109.5	kg	530x770+350x740
Lim TVL 6 S235JR	490.8	kg	400x500+450x650+200x300+100x420+160x500+1
Lim TVL 60 S355J2+N+Z25	967.0	kg	240x350+340x370+480x700+290x570+230x240
Lim TVL 70,0 S355J2+N	202.0	kg	komadi
Lim TVL 8 S235JR	630.5	kg	1500x3000+1220x1200+420x1500+340x1100+260

Profili

Proizvod	Količina	JM	Opis
Profil L 30x30x3 S275	18.0	kg	6mx2
Profil L 40x40x4 S275	684.0	kg	(L=6mx4kom +2,58m-krive)+6mx39+1,51m
Profil L 45x45x5	84.0	kg	6mx2
Profil L 75x75x8 S275	37.5	kg	2,82m
profil UNP 100 S235JR	142.0	kg	6mx2
Profil UNP 100 S275	50.0	kg	6m+2,43m-savijani
profil UNP 120 S235JR	77.5	kg	6m
profil UNP 140 S235JR	190.0	kg	6mx2
profil UNP 160 S235JR	230.0	kg	6mx2
Profil UNP 65 S235JR	88.0	kg	6,12mx2
profil UNP 80 S235JR	140.0	kg	3mx2+2,45m+6m

Šipkasti materijali - Čelici

Proizvod	Količina	JM	Opis
Čelik kvadratni 12 x 12 Č.1530	146.8	kg	6m x n zardjale i krive
Čelik kvadratni 12 x 12 S235JR	138.0	kg	6mx19+3m
Čelik kvadratni 14 x 14 Č.1530	1,368.0	kg	6m x n zardjale i krive
Čelik kvadratni 14 x 14 S235JR	197.0	kg	6mx19
Čelik kvadratni 20 x 20	26.0	kg	0,75mx4+0,42+0,4+0,73+1,5+1,29+1,04-krive
Čelik kvadratni 20 x 20 C45+C	17.0	kg	3m+2m
Čelik kvadratni 20 x 20 S235JR	229.0	kg	6mx12
Čelik kvadratni 30 x 30 S235JR	38.5	kg	5,5m
Čelik kvadratni 4 x 4 C45+C	.6	kg	3m
Čelik kvadratni 40 x 40 C45+C	5.0	kg	0,4m
Čelik kvadratni 40 x 40 S235JR+N	76.5	kg	6m
Čelik kvadratni 50 x 50 S235JR+N	104.5	kg	0,32m+5,16m
Čelik kvadratni 60 x 60 S235JR	193.5	kg	0,74m+6m
Čelik kvadratni 80 x 80	141.5	kg	2,65m
Čelik kvadratni 80 x 80 S235	12.0	kg	0,15m*+0,29m
Čelik OK 13 C45+C	25.6	kg	3mx7
Čelik OK 17 Č.1531.5	21.5	kg	3,3mx3+2,5m
Čelik OK 19 C45+C	67.2	kg	0,91m+0,47m+3,05mx8
Čelik OK 22 C45+C	55.9	kg	0,77m+3mx7+0,5m+1,4mx2
Čelik OK 24 Č.1731	252.8	kg	3,05m-3,23mx15+1,9m
Čelik OK 24 Č.4732	149.0	kg	3,6mx11+0,79m+0,67m
Čelik OK 27 C45+C	88.6	kg	1,46m+3mx4+1m
Čelik OK 30 C45+C	75.3	kg	3mx2+2,8m+1,04m+1,86m
Čelik OK 32 C45+C	77.8	kg	3mx3+0,72m
Čelik OK 36 C45+C	111.5	kg	3,1mx3+2,59m
Čelik OK 41 CK45 K	603.0	kg	3,02mx16+1,27m
Čelik OK 50 Č.1531	70.5	kg	1,48m+0,63m+1,45
Čelik OK 55 C45+C	65.9	kg	0,78m+0,75m+1,07m
Čelik okrugli fi 10 Č.4731.5	27.0	kg	3mx13
Čelik okrugli fi 10 C45+C	10.0	kg	3m-kriva+3mx7
Čelik okrugli fi 10 S235JR	137.0	kg	6mx32+3m+6mx11
Čelik okrugli fi 100 Č.4732(42CrMo4)	250.0	kg	0,11m+1,41m+0,49m+2,85m
Čelik okrugli fi 100 C45	23.5	kg	0,665m
Čelik okrugli fi 11 Č.4146	2,117.7	kg	3m x 925
Čelik okrugli fi 110 42CrMo4	259.0	kg	2,5m
Čelik okrugli fi 110 C45	275.0	kg	3,01m+0,56m+2,82m
Čelik okrugli fi 12 C45+C	26.5	kg	3mx13
Čelik okrugli fi 12 S235JR	80.5	kg	6mx14+6m-kriva+2,4m+1,94mx2+1,54m+3,15m-kr
Čelik okrugli fi 120 Č.4732.1(42CrMo4+N)	107.5	kg	1,12m
Čelik okrugli fi 120 C45	270.0	kg	0,575mm+3,01m
Čelik okrugli fi 130 C45	486.0	kg	0,210m+3,71m+0,73m
Čelik okrugli fi 14 C45+C	131.5	kg	L=3mx34+0,48m+2m
Čelik okrugli fi 14 S235JR	241.5	kg	6mx15+6mx18
Čelik okrugli fi 140 C45	182.5	kg	1,315m
Čelik okrugli fi 150 C45	330.5	kg	0,45m+2m
Čelik okrugli fi 155 Č.4732	3.0	kg	0,01m***
Čelik okrugli fi 16 Č.1212	15.4	kg	3,5mx3-zardale

Proizvod	Količina	JM	Opis
Čelik okrugli fi 16 C45	35.0	kg	6mx4+2m
Čelik okrugli fi 16 C45+C	96.0	kg	3,05mx13+1m+0,5m
Čelik okrugli fi 160 C45	189.0	kg	1,2m
Čelik okrugli fi 165 Č.4732	208.5	kg	1,21m
Čelik okrugli fi 18 Č.4732	5.0	kg	2,44m-kriva
Čelik okrugli fi 18 C45+C	63.4	kg	3mx8+1mx2+0,99mx3
Čelik okrugli fi 18 C45E	22.7	kg	6m+1,87m+0,46m+0,99m+1,29m
Čelik okrugli fi 180 C45	265.0	kg	2,12m
Čelik okrugli fi 20 11SMn30+C(3990.5)	15.5	kg	3mx2
Čelik okrugli fi 20 Č.4732	25.5	kg	1m+1,97m+0,74m-zardale+1,49m+1,79m
Čelik okrugli fi 20 C45	66.5	kg	6,02m+3m+2,61m+1,81m+6m+0,79m+2,02m+0,93
Čelik okrugli fi 20 C45+C	114.6	kg	0,2m+0,77m+3mx5+1m+3mx9
Čelik okrugli fi 200 42CrMo4	371.0	kg	1,5m
Čelik okrugli fi 200 C45	265.5	kg	1,13m
Čelik okrugli fi 22 11SMn30+C(3990.5)	6.5	kg	2m
Čelik okrugli fi 22 16MnCr5	72.0	kg	6mx2+2mx2 - krive i zardjale
Čelik okrugli fi 22 20MnCrS5*	101.0	kg	6,26mx5+2,15m+2,11mx2+2m+1,6m+2,05m+1,43
Čelik okrugli fi 22 C45+C	42.0	kg	0,27m+3mx4+2,5m
Čelik okrugli fi 24 Č.4732	120.5	kg	6mx4*+5,5m*+5,37m
Čelik okrugli fi 25	35.0	kg	2mx5-savijene i narezani navoji
Čelik okrugli fi 25 42CrMo4	57.4	kg	3,1m+5m+0,49m
Čelik okrugli fi 25 C45	48.9	kg	6,03mx2+1,5m+0,28+0,49mm
Čelik okrugli fi 25 C45+C	303.0	kg	0,88m+6mx12+3m
Čelik okrugli fi 25 C45+N	35.5	kg	6m+2,77m
Čelik okrugli fi 25 S235JR+C	24.0	kg	3mx2
Čelik okrugli fi 26 20MnCrS5*	476.0	kg	6,26mx17+2,15m
Čelik okrugli fi 26 Č.4730*	34.0	kg	6m+2,11m
Čelik okrugli fi 26 Č.4732*	141.0	kg	6,mx4kom+4,02m+2,11m+3,02m-kriva
Čelik okrugli fi 28 C45+C	60.0	kg	3mx3
Čelik okrugli fi 30 42CrMo4	35.7	kg	0,45m+0,49m+4,5m
Čelik okrugli fi 30 C45	150.6	kg	0,2m+0,39m+6mx3+2,46m
Čelik okrugli fi 30 C45+C	219.9	kg	0,77m+3,05mx13+0,61m
Čelik okrugli fi 32 C45+C	56.5	kg	3mx3
Čelik okrugli fi 32 C45+N	84.5	kg	6mx2+1.5m
Čelik okrugli fi 32 S235JR	159.0	kg	6mx3+1,5mx4+0,5m
Čelik okrugli fi 35 42CrMo4	65.8	kg	2,5m+0,7m
Čelik okrugli fi 35 C45	153.8	kg	6mx+6,03m+2,54m2-+4.65m
Čelik okrugli fi 35 C45+C	509.9	kg	3,05mx4+3,05mx10
Čelik okrugli fi 35 C45+N	31.3	kg	2,72m
Čelik okrugli fi 36 S355JR+C	481.0	kg	3,06mx19+1,74m
Čelik okrugli fi 38 Č.1221	1,253.5	kg	4,73m-4,9x23
Čelik okrugli fi 38 Č.3990.5	38.0	kg	2mx2
Čelik okrugli fi 40 42CrMo4	154.5	kg	6mx2+2,49m
Čelik okrugli fi 40 C45	625.0	kg	6,11mx6+5,86m+5,1m
Čelik okrugli fi 40 C45+C	251.5	kg	0,52m+6,26mx4+0,73m
Čelik okrugli fi 45 42CrMo4	118.5	kg	6,03m+2,49m
Čelik okrugli fi 45 C45	149.5	kg	2,55m+5,21m+0,37m
Čelik okrugli fi 45 C45+C	410.5	kg	0,7m+2,02m+3mx2+6,35mx3
Čelik okrugli fi 48 Č.1221	138.5	kg	5,48mx2kom

Proizvod	Količina	JM	Opis
Čelik okrugli fi 5 S235JR+C	93.5	kg	3mx201+2,5m+1,2m
Čelik okrugli fi 50 20MnCrS5*	147.0	kg	2,69m+1,58m
Čelik okrugli fi 50 42CrMo4	128.0	kg	3m+2,2m+0,76m+2,7m
Čelik okrugli fi 50 C45	135.0	kg	6,04m+2,89m+0,46m
Čelik okrugli fi 50 C45+C	71.0	kg	3m+0,48m+0,49m+1,72m
Čelik okrugli fi 55 42CrMo4+N	106.5	kg	4,2m
Čelik okrugli fi 55 C45	147.0	kg	6m+0,3m+0,07m
Čelik okrugli fi 55 C45+C	109.0	kg	2,27m+3m+0,39m+0,52m
Čelik okrugli fi 6 Č.0361.5	1.2	kg	3mx4+1,4m+1,8mx2+2,06m+0,98m+0,95m+0,57m
Čelik okrugli fi 6 C45+C	7.0	kg	2,58mx5
Čelik okrugli fi 60 42CrMo4	271.5	kg	6mx2+0,385m
Čelik okrugli fi 60 C45	244.5	kg	6m+3,77m
Čelik okrugli fi 60 C45+C	224.3	kg	1,16m+2,95mx3
Čelik okrugli fi 65 42CrMo4	130.0	kg	1,88m+3,03m+4,34m
Čelik okrugli fi 65 C45	800.5	kg	6,45mx2+5,47m+0,34m+2,04m
Čelik okrugli fi 70 42CrMo4	263.0	kg	6m+2,59m
Čelik okrugli fi 70 C45	223.5	kg	6mx2+0,93m
Čelik okrugli fi 75 42CrMo4	225.5	kg	1,47m+4,5m
Čelik okrugli fi 75 C45	105.5	kg	0.13m+3,74m
Čelik okrugli fi 75 C45+N	210.0	kg	6m
Čelik okrugli fi 8 C45+C	27.9	kg	3mx25+1,5m+1,53mx2+1mx2+0,9mx2
Čelik okrugli fi 8 S235+C	.7	kg	1,5m
Čelik okrugli fi 80 42CrMo4	84.9	kg	2m
Čelik okrugli fi 80 C45	319.0	kg	1,545m+6m
Čelik okrugli fi 80 S235JR	31.0	kg	
Čelik okrugli fi 80 S355J2	159.5	kg	3,02m+1,2m
Čelik okrugli fi 85 C45	260.5	kg	5,8m
Čelik okrugli fi 90 42CrMo4	641.5	kg	3,58m+3,13m+5,94m
Čelik okrugli fi 90 C45	288.5	kg	1,77m+2,72m
Čelik pravougaoni 100 x 10 S235JR	142.2	kg	6m+2,5m+6m
Čelik pravougaoni 100 x 15 S235JR	174.5	kg	6mx2
Čelik pravougaoni 120 x 15 S235JR	137.5	kg	4m+6m
Čelik pravougaoni 200 x 10 S235JR	158.5	kg	3,82m+6m
Čelik pravougaoni 200 x 15 S235JR	184.2	kg	6m+1,89m
Čelik pravougaoni 200 x 20 S235JR	373.0	kg	6m+5,4m
Čelik pravougaoni 30 x 6 S235JR	259.0	kg	6mx30
Čelik pravougaoni 40 x 6 S235	508.5	kg	6mx39+6m-kriva
Čelik pravougaoni 40 x 8 S235JR	103.6	kg	3,32m+3,66m+1m+6mx3
Čelik pravougaoni 50 x 10 S235	168.5	kg	6mx6+4,71m
Čelik pravougaoni 50 x 12 S235JR	161.0	kg	6mx4+4m+3,5m
Čelik pravougaoni 50 x 4	64.5	kg	6mx2+1,31m+0.77m
Čelik pravougaoni 50 x 5 S235JR	24.0	kg	6mx2
Čelik pravougaoni 6 x 60 S275JR+AR	140.0	kg	6mx7+5m+2,23m
Čelik pravougaoni 70 x 6 S235	183.0	kg	6mx7+4m
Čelik pravougaoni 80 x 12 S235	82.0	kg	6,1m+0,67m
Čelik sv.klin 14x09 C45+C	16.0	kg	3m+3,22mx4
Čelik sv.klin 16x10 C45+C	21.0	kg	3,22mx5
Čelik traka 1,0 x 20 DC01AM	5.0	kg	3mx10

Redukcije i "T" komadi

Proizvod	Količina	JM	Opis
Eksc.redukcija fi 88,9/ fi 42,4x4	2.0	kom	2 kom
Proizvod	Količina	JM	Opis
Konc.red. fi 88,9x4,5/42,4x4,5	18.0	kom	18 kom
Konc.redukcija 3-2 1/2	1.0	kom	1
Konc.redukcija fi 108x5/fi 76,1x4 P265GH	1.0	kom	1 kom
Konc.redukcija fi 139,4x4,0/fi 114,3x3,6 P235	1.0	kom	
Konc.redukcija fi 168,3x4,5/114,3x4,5 P235G	4.0	kom	3
Konc.redukcija fi 168,3x5/fi139x5	1.0	kom	1 kom
Konc.redukcija fi 168,3x6,3/139,7x6,3	3.0	kom	3
Konc.redukcija fi 168,3x6,3/76,1x4 P235GH	2.0	kom	2 kom
Konc.redukcija fi 219,1/139,7x6,3	1.0	kom	1 kom
Konc.redukcija fi 219,1x6,3/fi 114,3x6,3	13.0	kom	13 kom
Konc.redukcija fi 219,1x9/159x8 P265GH	2.0	kom	2 kom
Konc.redukcija fi 26,9x2,6/21,3x2,6 P235GH	4.0	kom	4 kom
Konc.redukcija fi 323,9x7,1/fi 219,1x7,1 P235	7.0	kom	7kom
Konc.redukcija fi 42,4x2,9/33,7x2,9	4.0	kom	4
Konc.redukcija fi 42,4x3,6/fi 33,7x3,6	10.0	kom	14kom
Konc.redukcija fi 48,3x3,6/26,9x3,6	2.0	kom	2 kom
Konc.redukcija fi 60,3x3,6/fi 42,4x3,6	2.0	kom	3
Konc.redukcija fi 60,3x5,0/fi 42,4x5,0	12.0	kom	15
Konc.redukcija fi 76,1x5,6/fi 60,3x5,6	6.0	kom	8
Konc.redukcija fi 88,9x3,2/fi 76,1x2,9	1.0	kom	1 kom
Konc.redukcija fi 88,9x5,9/fi 60,3x3,91	3.0	kom	3kom
Proizvod	Količina	JM	Opis
T komad 139,7x8	16.0	kom	16
T komad 168,3x4,5/168,3x4,5 P235GH	1.0	kom	1
T komad 168,3x6,3	1.0	kom	1
T komad 21,3	50.0	kom	50
T komad 26.9	45.0	kom	45
T komad 33,7	50.0	kom	50
T komad crni 2 1/2	2.0	kom	2

Bešavne cevi

Proizvod	Količina	JM	Opis
Beš.cev 10,0 x 1,0 AlMgSi	167.0	kg	6mxn
Beš.cev 108,0 x 5,0	124.0	kg	1,02+5,27+0,33m
Beš.cev 114,3 x 4,0	20.0	kg	1,82
Beš.cev 114,3 x 7,1	178.5	kg	5,15m+1,95m
Beš.cev 114,3 x 7,5	152.0	kg	5,84m
Beš.cev 114,3 x 9*	667.5	kg	6m+4,58m+4,27m+4,38m+1,89m+1,29m
Beš.cev 121,0 x 9,0*	139.0	kg	5,58m+5,75m-cetvrtasta
Beš.cev 127,0 x 7,1	28.0	kg	1,32m
Beš.cev 13,7 x 3,02	1,047.5	kg	6m-6,2mxn
Beš.cev 133 x 4,0	131.0	kg	3,44m+5,98m
Beš.cev 133 x 7	66.0	kg	3,02m
Beš.cev 139,7 x 13,2	39.0	kg	0,95m
Beš.cev 141,0 x 12,0	585.0	kg	6m+6m+3,91m
Beš.cev 141,0 x 12,5	241.5	kg	0,39m+4,78m
Beš.cev 141,0 x 5,0	40.5	kg	1,73m
Beš.cev 141,0 x 8,0	239.5	kg	6mx2+2,96m
Beš.cev 141,3 x 7,1	99.0	kg	5,16*
Beš.cev 152,0 x 6,3	74.5	kg	2,81m
Beš.cev 152,0 x 7,0	99.0	kg	3,94m
Beš.cev 165,0 x 25,0	233.0	kg	2,69m
Beš.cev 168,3 x 11,0	266.0	kg	3,67m+1,28m+1,07m
Beš.cev 168,3 x 7,1	540.0	kg	L=6mx3kom+0,29m+0,35m
Beš.cev 177,8 x 12,5	16.5	kg	0,32m
Beš.cev 219,1 x 8,0	999.0	kg	5,05+2,94+8,06m+7,91m-nema atesta
Beš.cev 273,0 x 15,0	680.0	kg	7,11m
Beš.cev 31,8 x 4	1,007.0	kg	6,8mx32+0,82m+1,58m+0,43m+0,84mx2+0,73mx2
Beš.cev 355,6 x 35,71 II A	435.0	kg	1,54m
Beš.cev 40,0 x 5,0 AlMgSi	363.0	kg	5,3mx47+2,02m+4mx2+2,29mx2
Beš.cev 60,0 x 1,5 AlMgSi	341.0	kg	4,5mx67+4,05m
Beš.cev 60,3 x 4,0	9.0	kg	0,6m+1,39m*+1,02m-3,2
Beš.cev 60,3 x 5,5	27.0	kg	2,19m
Beš.cev 60,3 x 5,6	46.9	kg	5,95m+3,02m
Beš.cev 60,3 x 6,0	48.0	kg	5,95m
Beš.cev 60,3 x 9,0	923.0	kg	6,07x10+5,4m-+1,72mzid 9-10+3,04m
Beš.cev 63,5 x 8,0	43.0	kg	3,05
Beš.cev 63,5 x 9,0	41.0	kg	3,39m-lista se
Beš.cev 76,1 x 3,6*	65.0	kg	5,08m+5,03m
Beš.cev 76,1 x 4,0	42.0	kg	6m-savna
Beš.cev 88,9 x 3,5	164.5	kg	6,07mx2+6m-kriva+1,22m
Beš.cev 88,9 x 6,3	91.0	kg	0,64m+4,9m-zid 5,5

Građevinska oprema EXTE

Proizvod	Količina	JM	Opis
AL 20 PE O	96,800.0	m	
AL 25 PE O	28,800.0	m	
AL 30 PE O	5,030.0	m	
ASK 20	72,000.0	kom	
ASK 25	63,000.0	kom	
Proizvod	Količina	JM	Opis
Distanciona podna lajsna 15	1,400.0	m	
Proizvod	Količina	JM	Opis
RSR 22/25	6,000.0	m	
RSR 22/26(100m)	6,000.0	m	
Proizvod	Količina	JM	Opis
SK 22/10 N	52,000.0	kom	
SNAKE 06 W	1,400.0	kom	
SNAKE 08 W	4,675.0	kom	
SNAKE 10 W	1,600.0	kom	
ST 22	100,000.0	kom	
Proizvod	Količina	JM	Opis
UNI 4-12/20	935,996.3	kom	
UNI 4-12/25	224,000.0	kom	
UNI 4-12/30	59,973.0	kom	